

## Intellinet 524445 router inalámbrico Ethernet rápido Negro, Gris

**Marca :** Intellinet

**Código del producto:** 524445

**Nombre del producto :** 524445

Intellinet 524445. Tasa de transferencia de datos WLAN (máx.): 150 Mbit/s, Cantidad de canales: 14 canales. Tipo de interfaz Ethernet LAN: Ethernet rápido, Ethernet LAN, velocidad de transferencia de datos: 10,100 Mbit/s, Tecnología de cableado: 10/100Base-T(X). Algoritmos de seguridad: 128-bit WEP, 64-bit WEP, 802.1x RADIUS, WPA-AES, WPA-TKIP, WPA2. Protocolos de red compatibles: CSMA/CA, CSMA/CD, TCP/IP, UDP, ICMP, PPPoE, NTP, NAT, DHCP, DNS. Color del producto: Negro, Gris



WAN connection		Certificates	
Ethernet WAN *	✓	Certification	FCC Class B, CE Mark, RoHS
Wireless LAN features		Packaging content	
WLAN data transfer rate (max) *	150 Mbit/s	Manual	✓
Channels quantity	14 channels	Antenna	
Network		Antenna gain level (max)	3 dBi
Ethernet LAN *	✓	Features	
Ethernet LAN interface type *	Fast Ethernet	Built-in processor	✓
Ethernet LAN data rates	10,100 Mbit/s	Processor model	Ralink RT3050
Cabling technology	10/100Base-T(X)	Flash memory	4 MB
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.1D, IEEE 802.3, IEEE 802.3u	Power	
Receiver sensitivity	11n (150 Mbps) MCS7: 20 MHz: -72 dBm; 40MHz: -70 dBm 11g (54 Mbps) OFDM: -76 dBm 11b (11 Mbps) CCK: -91 dBm	Power consumption (typical)	3.25 W
Ports & interfaces		Power over Ethernet (PoE)	✓
Ethernet LAN (RJ-45) ports *	4	Operational conditions	
DC-in jack	✓	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-20 - 60 °C
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
Quality of Service (QoS) support	✓	System requirements	
Security		Minimum RAM	16 MB
Security algorithms	128-bit WEP, 64-bit WEP, 802.1x RADIUS, WPA-AES, WPA-TKIP, WPA2	Weight & dimensions	
Filtering	✓	Weight	800 g
MAC address filtering	✓	Other features	
DMZ support	✓	WLAN data transfer rates supported	150 Mbit/s
Protocols		Dimensions (W x D x H) (imperial)	157.5 x 127 x 30.5 mm (6.2 x 5 x 1.2")
DHCP client	✓	Dimensions (WxDxH)	157 x 127 x 30 mm
DHCP server	✓	Weight (imperial)	0.771 kg (1.7 lbs)
		Power supply type	DC
		Operating temperature (T-T)	32 - 102 °F
		Networking features	Fast Ethernet

Protocols		Other features	
Universal Plug and Play (UPnP)	✓	Input current	0.5 A
Supported network protocols	CSMA/CA, CSMA/CD, TCP/IP, UDP, ICMP, PPPoE, NTP, NAT, DHCP, DNS	Input voltage	12 V
Design		Frequency range	2.400 – 2.483 GHz
		Filtering description	URL
		Bandwidth	2.4 GHz
Product colour	Black, Grey		
Indication light	✓		
LED indicators	✓		



0766623524445



766623524445

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date