Epson Stylus TX130 Inyección de tinta A4 5760 x 1440 DPI 3 ppm

Marca : Epson Familia de productos: Stylus Código del producto: C11CB54202

Nombre del producto: TX130

Stylus TX130, CMYK, 5760x1440, 15/28ppm, 100sh, A4/LGL, CIS, USB 2.0, 11.3W, 3.9kg, Win/Mac, Negro Epson Stylus TX130. Tecnología de impresión: Inyección de tinta, Impresión: Impresión a color, Resolución máxima: 5760 x 1440 DPI, Velocidad de impresión (color, calidad normal, A4/US Carta): 1.6 ppm. Copiando: Copia a color. Escaneando: Escaneo a color, Resolución óptica de escáner: 600 x 1200 DPI. Tamaño máximo de papel ISO A-series: A4



| Printing | | Paper handling | |
|--|--|--|---|
| Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, | Inkjet Colour printing X 5760 x 1440 DPI | ISO B-series sizes (B0B9) Non-ISO print media sizes Envelopes sizes Photo paper sizes (imperial) Borderless printing media sizes | B5 Oficio 10, C6, DL 4x6,5x7,8x10 4x6 |
| A4/US Letter) * | 3 ppm | Ports & interfaces | |
| Print speed (colour, normal quality, A4/US Letter) | 1.6 ppm | Standard interfaces | USB 2.0 |
| Print speed (black, draft quality, A4/US Letter) | 28 ppm | Direct printing * USB port | × |
| Print speed (colour, draft quality, A4/US Letter) | 15 ppm | USB 2.0 ports quantity | 1 |
| Copying | | Network | |
| Duplex copying * | x | Wi-Fi * | X |
| Copying * | Colour copying | Ethernet LAN * | × |
| Scanning | | Performance | |
| Duplex scanning * Scanning * Optical scanning resolution * Maximum scan resolution | Colour scanning 600 x 1200 DPI 9600 x 9600 DPI | Card reader integrated Sound pressure level (printing) Mac compatibility Minimum system requirements | X 37.6 dB ✓ SVGA USB CD-ROM |
| Maximum scan area | A4 / Letter (216 x 297) | Design | |
| Scanner type * | Flatbed scanner | Market positioning * | Home & office |
| Scan technology Input colour depth | CIS 48 bit | Power | |
| Fax | 40 DIC | Power consumption (average operating) | 11.3 W |
| Duplex faxing Faxing * | × | Power consumption (standby) AC input frequency | 2 W 50 - 60 Hz |
| Features | | System requirements | |
| Digital sender Number of print cartridges * Printing colours * | × 4 Black, Cyan, Magenta, Yellow | Minimum RAM Minimum storage drive space Minimum processor | 512 MB 550 MB Intel Pentium 1GHz |
| Input & output capacity | | Weight & dimensions | |
| Total input capacity * | 100 sheets | Weight | 3.9 kg |
| Total output capacity * | 50 sheets | Other features | |
| Maximum input capacity for envelopes | 10 | Dimensions (WxDxH) Network ready Power requirements | 436 x 304 x 150 mm x 100 - 120V |

Paper handlingOther featuresMaximum ISO A-series paper size * Maximum print sizeA4Compatible operating systemsWindows 7 Windows 7 Windows Vista Windows XP Mac OS X 10.4.11, 10.5.8, 10.6.xMaximum print size216 x 356 mmBuffer size32 KBPaper tray media types *Envelopes, Glossy paper, Matte paper, Plain paperAll-in-one functionsCopy, Print, ScanColour all-in-one functionsCopy, Print, Scan

ISO A-series sizes (A0...A9) *

A4, A5, A6

