



ASUS GTX770-DC2OC-2GD5 NVIDIA GeForce GTX 770 2 GB GDDR5

Marca : ASUS

Código del producto: 90YV04E1-M0NA00

Nombre del producto : GTX770-DC2OC-2GD5

ASUS GTX770-DC2OC-2GD5. Familia de procesadores de gráficos: NVIDIA, Procesador gráfico: GeForce GTX 770, Frecuencia del procesador: 1110 MHz. Capacidad memoria de adaptador gráfico: 2 GB, Tipo de memoria de adaptador gráfico: GDDR5, Bus de memoria: 256 Bit, Velocidad de memoria del reloj: 7010 MHz. Máxima resolución: 4096 x 2160 Píxeles. Versión DirectX: 11.1, Versión OpenGL: 4.3, Dual Link DVI. Tipo de interfaz: PCI Express 3.0. Tipo de enfriamiento: Activo, Número de ventiladores: 2 Ventilador(es)



Processor		Performance	
CUDA *	✓	PhysX	✓
CUDA cores	1536	TV tuner integrated *	✗
Graphics processor family *	NVIDIA	DirectX version *	11.1
Graphics processor *	GeForce GTX 770	Shader model version *	5.0
Processor frequency *	1110 MHz	OpenGL version *	4.3
Processor boost clock speed	1058 MHz	HDCP	✓
Maximum resolution *	4096 x 2160 pixels	Dual Link DVI *	✓
Graphics card RAMDAC	400 MHz	NVIDIA 3D Vision	✓
Parallel processing technology support *	2-Way SLI, 3-Way SLI	NVIDIA GameWorks VR	✗
Maximum analog resolution	2048 x 1536 pixels	NVIDIA G-SYNC	✓
Maximum digital resolution	4096 x 2160 pixels	Full HD	✓
Maximum displays per videocard	4	Design	
FireStream	✗	Cooling type *	Active
Processor cores	1	Number of fans	2 fan(s)
Memory		Form factor	Full-Height/Full-Length (FH/FL)
Discrete graphics card memory *	2 GB	Bracket height	Full-Height (FH)
Graphics card memory type *	GDDR5	Number of slots	2
Memory bus *	256 bit	Product colour	Black
Memory clock speed	7010 MHz	Power	
Memory bandwidth (max)	224.3 GB/s	Minimum system power supply *	600 W
Ports & interfaces		Supplementary power connectors	1x 6-pin, 1x 8-pin
Interface type *	PCI Express 3.0	Operational conditions	
HDMI ports quantity *	1	Operating temperature (T-T)	0 - 98 °C
DVI-D ports quantity *	1	System requirements	
DVI-I ports quantity *	1	Windows operating systems supported	✓
DisplayPorts quantity *	1		
DVI ports quantity	2		

System requirements

Mac operating systems supported ✗

Linux operating systems supported ✓



4916659314930



0886227514939



886227514939



0725806171814



725806171814

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.