

Samsung LT24C550NH monitor de computadora 59.9 cm (23.6") 1366 x 768 Pixeles Negro

Marca : Samsung

Código del producto: LT24C550NH/ZX

Nombre del producto : LT24C550NH



23.6", 1366x768, 250cd/m2, 3000:1, 8ms, 16.7M, Negro
Samsung LT24C550NH. Diagonal de la pantalla: 59.9 cm (23.6"), Resolución de la pantalla: 1366 x 768 Pixeles. Pantalla: LCD. Tiempo de respuesta: 8 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Altavoces incorporados. Versión del concentrador USB: 2.0. montaje VESA. Color del producto: Negro

Display		Ergonomics	
Display diagonal *	59.9 cm (23.6")	VESA mounting *	✓
Display resolution *	1366 x 768 pixels	Panel mounting interface	75 x 75 mm
Native aspect ratio *	16:9	Cable lock slot *	✗
Touchscreen *	✗	Height adjustment *	✗
Display brightness (typical)	250 cd/m ²	LED indicators	✓
Response time *	8 ms		
Supported graphics resolutions	1366 x 768	Power	
Aspect ratio	16:9	Power consumption (typical) *	17.6 W
Contrast ratio (typical) *	3000:1	Power consumption (standby) *	0.3 W
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (max)	35 W
Viewing angle, horizontal	178°	AC input voltage	110 - 120 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.78 million colours	Weight & dimensions	
3D	✗	Width (with stand)	567.8 mm
Multimedia		Depth (with stand)	200 mm
Number of speakers	2	Height (with stand)	438.4 mm
RMS rated power	10 W	Weight (with stand)	4.2 kg
Built-in speaker(s) *	✓	Width (without stand)	567.8 mm
Built-in camera *	✗	Depth (without stand)	41.8 mm
Design		Height (without stand)	341.3 mm
Product colour *	Black	Weight (without stand)	3.8 kg
Ports & interfaces		Packaging data	
USB hub version	2.0	Package width	647 mm
USB Type-A downstream ports quantity	1	Package depth	147 mm
VGA (D-Sub) ports quantity	1	Package height	416 mm
DVI port	✗	Package weight	6.05 kg
HDMI ports quantity	2	Packaging content	
Audio input	✓	Manual	✓
Headphone outputs	1	Sustainability	
AC (power) in	✓	Sustainability certificates	ENERGY STAR
Composite video in	1	Other features	
RF ports quantity	1	AC adapter included	✓
Component video (YPbPr/YCbCr) in	1	Display	LCD
		On/off switch	✓
		TV tuner integrated	✓
		Digital signal format system	ATSC
		Supported TV bands	DTV

Thin Client

Thin client installed



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date