

DELL Inspiron 3138 Intel® Celeron® N2815 Computadora portátil 29.5 cm (11.6") Pantalla táctil 4 GB DDR3-SDRAM 500 GB Unidad de disco duro Windows 8.1 Negro, Plata

Marca: DELL Familia de productos: Código del producto: Inspiron

I11CEL TS450SW8C

Nombre del producto: 3138

DELL Inspiron 3138. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel® Celeron®, Modelo del procesador: N2815, Frecuencia del procesador: 1.86 GHz. Diagonal de la pantalla: 29.5 cm (11.6"), Resolución de la pantalla: 1366 x 768 Pixeles, Pantalla táctil. Memoria interna: 4 GB, Tipo de memoria interna: DDR3-SDRAM. Capacidad total de almacenaje: 500 GB, Unidad de almacenamiento: Unidad de disco duro. Modelo de gráficos en tarjeta: Intel® HD Graphics. Sistema operativo instalado: Windows 8.1. Color del producto: Negro, Plata





Design		Software	
Product type *	Laptop	Operating system architecture	64-bit
Product colour *	Black, Silver	Operating system installed *	Windows 8.1
Form factor *	Clamshell	Bundled software	Microsoft 2013 Office McAfee (30 días)
Display		Processor special features	
Display diagonal *	29.5 cm (11.6")	Intel® Wireless Display (Intel®	
Display resolution *	1366 x 768 pixels	WiDi)	✓
Touchscreen *	•	Intel® My WiFi Technology (Intel®	
Touch technology	Multi-touch	MWT)	X
LED backlight	✓	Intel Smart Connect Technology	✓
Native aspect ratio	16:9	Intel® Anti-Theft Technology (Intel® AT)	×
Processor		Intel® Rapid Start Technology	×
Processor manufacturer *	Intel	Intel® Smart Response Technology	×
Processor family *	Intel® Celeron®	Intel® Identity Protection	
Processor model *	N2815	Technology (Intel® IPT)	×
Processor cores Processor threads	2	Intel® Hyper Threading Technology (Intel® HT Technology)	×
Processor boost frequency	2.13 GHz	Intel® Turbo Boost Technology	×
Processor frequency *	1.86 GHz	Intel® Small Business Advantage	
Processor cache	1 MB	(Intel® SBA)	X
Processor cache type	L2	Intel® Matrix Storage Technology	×
Processor socket	BGA 1170	(Intel® MST)	
Processor lithography	22 nm	Intel® High Definition Audio (Intel® HD Audio)	×
Processor operating modes	32-bit, 64-bit	Intel® Active Management	
Processor series	Intel Celeron Processor N2000 Series for Mobile	Technology (Intel® AMT)	X
Processor codename	Bay Trail	Enhanced Intel SpeedStep Technology	✓
FSB Parity	×	Intel® Clear Video HD Technology (Intel® CVT HD)	
Stepping	В3		X
Thermal Design Power (TDP)	7.5 W	Intel Clear Video Technology	×
Scenario Design Power (SDP)	4.5 W	Intel® InTru™ 3D Technology	×
Tjunction	105 °C	Intel® Insider™	×
Maximum number of PCI Express lanes	4	Intel® Quick Sync Video Technology	×
PCI Express slots version	2.0	Intel Flex Memory Access	×
ECC supported by processor	×	Intel® AES New Instructions (Intel® AES-NI)	×

Memory		Processor special features	
Internal memory *	4 GB	Intel Trusted Execution Technology	×
Internal memory type	DDR3-SDRAM	Intel Enhanced Halt State	✓
Memory clock speed Memory layout (slots x size)	1600 MHz 1 x 4 GB	Intel VT-x with Extended Page	×
Maximum internal memory *	8 GB	Tables (EPT) Intel Demand Based Switching	×
·	0.00	Intel® Clear Video Technology for	^
Storage Tatal storage canacity *	E00 CD	Mobile Internet Devices (Intel CVT	×
Total storage capacity * Storage media *	500 GB HDD	for MID)	
Number of HDDs installed	1	Intel 64	✓
HDD capacity	500 GB	Execute Disable Bit	*
HDD interface	SATA	Idle States	*
HDD speed	5400 RPM	Thermal Monitoring Technologies	×
Card reader integrated	✓	Processor package size	25 x 27 mm
Graphics		Processor code CPU configuration (max)	SR1SJ 1
Discrete graphics card model *	Not available	Embedded options available	X
On-board graphics card *	✓	Graphics & IMC lithography	22 nm
Discrete graphics card *	x	Intel Virtualization Technology for	
On-board graphics card family	Intel® HD Graphics	Directed I/O (VT-d)	X
On-board graphics card model *	Intel® HD Graphics	Intel Smart Connect Technology version	1.00
On-board graphics card base	313 MHz	Intel Identity Protection Technology	
frequency On-board graphics card burst	-	version	0.00
frequency	756 MHz	Intel Virtualization Technology (VT-	✓
On-board graphics card dynamic	756 MHz	X)	
frequency (max)	750 14112	Intel Dual Display Capable Technology	×
Audio		Intel FDI Technology	×
Audio system	Waves MaxxAudio Pro	Intel Rapid Storage Technology	×
Built-in microphone	✓	Intel Fast Memory Access	×
Camera		Processor ARK ID	79051
Front camera	✓	Conflict-Free processor	✓
Network		Battery	
Wi-Fi	✓	Battery technology	Lithium-lon (Li-lon)
	•	Number of battery cells	3
	Wi-Fi 4 (802 11n)	,	
Wi-Fi standards Ethernet I AN	Wi-Fi 4 (802.11n)	Battery capacity *	50 Wh
Ethernet LAN	✓	Battery capacity * Power	50 Wh
			50 Wh 65 W
Ethernet LAN data rates	10,100,1000 Mbit/s	Power	
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version	10,100,1000 Mbit/s	Power AC adapter power DC-in jack	65 W
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces	10,100,1000 Mbit/s 4.0	Power AC adapter power DC-in jack Security	65 W ✓
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity *	10,100,1000 Mbit/s 4.0	Power AC adapter power DC-in jack Security Cable lock slot	65 W
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces	10,100,1000 Mbit/s 4.0	Power AC adapter power DC-in jack Security Cable lock slot Sustainability	65 W
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports	10,100,1000 Mbit/s 4.0 1 2 1	Power AC adapter power DC-in jack Security Cable lock slot	65 W ✓
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity *	10,100,1000 Mbit/s 4.0 1 2 1 1	Power AC adapter power DC-in jack Security Cable lock slot Sustainability	65 W
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version	10,100,1000 Mbit/s 4.0 1 2 1 1 1 1.4a	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates	65 W
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs	10,100,1000 Mbit/s 4.0 1 2 1 1.4a x 1	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Height Weight *	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1 X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Height Weight *	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1 X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging content	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot CardBus PCMCIA slot type	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1 X X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight* Packaging content AC adapter included *	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X X X X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging content AC adapter included * Other features	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Total number of SATA connectors	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1 X X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging content AC adapter included * Other features	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Total number of SATA connectors Keyboard	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X 1 X X X X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging content AC adapter included * Other features	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg
Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port Headphone outputs S/PDIF out port Microphone in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Total number of SATA connectors	10,100,1000 Mbit/s 4.0 1 2 1 1.4a X X X X X	Power AC adapter power DC-in jack Security Cable lock slot Sustainability Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging content AC adapter included * Other features	65 W EPEAT Silver, ENERGY STAR 300 mm 201.5 mm 21.2 mm 1.43 kg

Keyboard	
Full-size keyboard	✓

