

Samsung DM40D Pantalla plana de señalización digital 101.6 cm (40") LED 450 cd / m² Full HD Negro Linux

Marca : Samsung Código del producto: LH40DMDPLGA/ZA

Nombre del producto : DM40D

40" LED, 1920 x 1080px, 16:9, 450 cd/m2, 8 ms, HDMI, SD, Wi-Fi, LAN

Samsung DM40D Pantalla plana de señalización digital 101.6 cm (40") LED 450 cd / m² Full HD Negro Linux:

The Samsung DM40D delivers 24/7 reliability for continuous operation. Create stunning and seamless video walls in full HD resolution thanks to an upgraded Samsung SMART Signage Platform (SSP) and full range of connectivity options. Combined with a sleek industrial design and slim 2" chassis depth, you can captivate your audience in a moment and leave a lasting impression on the 40" screen.

- Mainstream Model Supporting 24/7 Reliability and Continuous Operation
- Enhanced SSP System-on-Chip (SoC) Performance with Quad Core Processor
- Sleek Industrial Design with Symmetrical 10.5mm Bezel
- Built-in Wi-Fi and AllShare® Cast for Simple Content Mirroring from Mobile Devices



Display		Performance	
Display diagonal *	101.6 cm (40")	HDCP	✓
Display technology *	LED	Power	
Display resolution *	1920 x 1080 pixels	Power consumption (typical) *	86 W
Display brightness *	450 cd/m²	Power consumption (off)	0.5 W
HD type *	Full HD	AC input voltage	100 - 240 V
Response time	8 ms	AC input frequency	50 - 60 Hz
Contrast ratio (typical)	5000:1	Computer system	
Viewing angle, horizontal	178°	Computer system *	✓
Viewing angle, vertical	178°	Computer system type	Thin client
Display number of colours	1.073 billion colours	Processor family	ARM Cortex
Pixel pitch	0.15375 x 0.46125 mm	Processor model	A9
Active display area (W x H)	885.6 x 498.15 mm	Processor frequency	1 GHz
Horizontal scan range	30 - 81 kHz	Internal memory	1.5 GB
Vertical scan range	48 - 75 Hz	Internal storage capacity	4 GB
Colour gamut	72%	Operating system installed	Linux
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Width	906.6 mm
DVI port *	✓	Depth	49.9 mm
DVI-D ports quantity	1	Height	524.7 mm
VGA (D-Sub) input ports	1	Weight	7.52 kg
DisplayPorts quantity *	1	Packaging data	
Ethernet LAN *	✓	Package width	1000 mm
Ethernet LAN (RJ-45) ports	1	Package depth	126 mm
Composite video in	1	Package height	585 mm
Component video (YPbPr/YCbCr) in	1	Package weight	9.1 kg
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232 interface	✓		

Ports & interfaces		Packaging content	
Card reader integrated	✓	Remote control included	✓
Audio		Batteries included	✓
Built-in speaker(s) *	✓	Cables included	VGA
Design		Warranty card	✓
		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Product colour *	Black	Operating relative humidity (H-H)	10 - 80%
VESA mounting *	✓	Technical details	
Panel mounting interface	200 x 200 mm	Sustainability certificates	ENERGY STAR
Performance		Compliance certificates	RoHS
Multi-display supported	✓	Other features	
Picture-in-Picture	✓	Quick start guide	✓
		Plug and Play	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date