



## LG 42LY540S pantalla de señalización Pantalla plana de señalización digital 106.7 cm (42") LED 300 cd / m<sup>2</sup> Full HD Titanio

Marca : LG

Código del producto: 42LY540S

Nombre del producto : 42LY540S

LG 42LY540S. Diseño de producto: Pantalla plana de señalización digital. Diagonal de la pantalla: 106.7 cm (42"), Tecnología de visualización: LED, Resolución de la pantalla: 1920 x 1080 Píxeles, Brillo de pantalla: 300 cd / m<sup>2</sup>, Tipo HD: Full HD. Color del producto: Titanio



Display		Performance	
LED backlighting type	Direct-LED	Analog signal format system	NTSC
Display diagonal *	106.7 cm (42")	Digital signal format system	ATSC
Display technology *	LED	HDCP	✓
Display resolution *	1920 x 1080 pixels	<b>Power</b>	
Display brightness *	300 cd/m <sup>2</sup>	Power consumption (typical) *	89 W
HD type *	Full HD	Power consumption (standby) *	0.3 W
Touchscreen *	✗	AC input voltage	100 - 240 V
Native aspect ratio	16:9	AC input frequency	50 - 60 Hz
Response time	8 ms	<b>Computer system</b>	
Contrast ratio (typical)	1200:1	Computer system *	✗
Contrast ratio (dynamic)	2000000:1	Video formats supported	DIVX HD
Viewing angle, horizontal	178°	Audio formats supported	AAC, AC3, HE-AAC, LPCM, MP3
Viewing angle, vertical	178°	Image formats supported	JPG
Panel life	30000 h	<b>Weight &amp; dimensions</b>	
Ports & interfaces		Width	961 mm
HDMI ports quantity *	2	Depth	218 mm
DVI port *	✗	Height	610 mm
VGA (D-Sub) input ports	1	Weight	9.5 kg
USB ports quantity	1	<b>Packaging data</b>	
USB version	2.0	Package width	1054 mm
Ethernet LAN *	✓	Package depth	146 mm
Ethernet LAN (RJ-45) ports	1	Package height	645 mm
Component video (YPbPr/YCbCr) in	1	Package weight	11.6 kg
Audio (L/R) in	1	<b>Packaging content</b>	
PC Audio in	✓	Remote control included	✓
Number of speaker outputs	1	Remote control type	L-Con
RS-232C	✓	Cables included	AC
Audio		<b>Certificates</b>	
Built-in speaker(s) *	✓	Certification	FCC, UL, cUL, NOM
Number of built-in speakers	2		
RMS rated power	20 W		

Design		Technical details	
Product design *	Digital signage flat panel	Sustainability certificates	ENERGY STAR
Product colour *	Titanium	Compliance certificates	RoHS
VESA mounting *	✓	Other features	
Panel mounting interface	400 x 400 mm	Manual	✓
Performance		Sound modes	Movie, Music, Standard
TV tuner integrated	✓	Height (without stand)	567 mm
		AV input	✓
		AV output	✓
		Depth (without stand)	55.5 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date