

Brother MFC-J5620DW Impresora multifunción Inyección de tinta A3 6000 x 1200 DPI 35 ppm Wifi

Marca : Brother

Código del producto: MFC-J5620DW

Nombre del producto : MFC-J5620DW

MFC-J5620DW - 35/27ppm, 6000 x 1200 dpi, A4, 128MB, 3.7" LCD, USB 2.0, Fast Ethernet, 802.11b/g/n, 11.7 kg


Brother MFC-J5620DW. Tecnología de impresión: Inyección de tinta, Impresión: Impresión a color, Resolución máxima: 6000 x 1200 DPI, Velocidad de impresión (color, calidad normal, A4/US Carta): 27 ppm. Copiando: Copia a color, Resolución máxima de copia: 1200 x 2400 DPI. Escaneando: Escaneo a color, Resolución óptica de escáner: 2400 x 2400 DPI. Enviando por fax: Fax a color. Tamaño máximo de papel ISO A-series: A3. Wifi. Impresión directa. Color del producto: Negro




Printing		Network	
Duplex printing mode	Auto	Ethernet LAN *	✓
Print technology *	Inkjet	Cabling technology	10/100Base-T(X)
Printing *	Colour printing	Ethernet LAN data rates	10,100 Mbit/s
Duplex printing *	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum resolution *	6000 x 1200 DPI	Security algorithms	128-bit WEP, 64-bit WEP, APOP, SMTP-AUTH, SSID, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPS
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Online services supported	Box, Dropbox, Evernote, Facebook, Flickr, Google Drive, OneDrive, Picasa
Print speed (colour, normal quality, A4/US Letter)	27 ppm	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print
Print speed (ISO/IEC 24734) mono	22 ipm		
Print speed (ISO/IEC 24734) colour	20 ipm		
Economical printing	✓		
Copying		Performance	
Copying *	Colour copying	Card reader integrated	✓
Maximum copy resolution *	1200 x 2400 DPI	Internal memory *	128 MB
Maximum number of copies	99 copies	Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, MMC, MMC Mobile, MMC+, MS Duo, MS Micro (M2), MS PRO Duo, SD, SDHC, SDXC
Copier resize	25 - 400%	Sound pressure level (printing)	50 dB
Scanning		Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	2400 x 2400 DPI	Market positioning *	Business
Maximum scan resolution	19200 x 19200 DPI	Built-in display *	✓
Maximum scan area	210 x 297 mm	Display	LCD
Scanner type *	Flatbed & ADF scanner	Display diagonal	9.4 cm (3.7")
Scan to	E-mail, E-mail Server, File, FTP, Image, Memory card, OCR, USB	Touchscreen	✓
Image formats supported	JPG, TIF	Control type	Touch
Document formats supported	PDF		
Input colour depth	48 bit		
Output colour depth	24 bit		
Greyscale levels	256		
Scan drivers	ICA, TWAIN, WIA		
Scan speed (black, normal quality)	3.37s		
Fax		Power	
Faxing *	Colour faxing	Power consumption (average operating)	32 W
Modem speed	33.6 Kbit/s	Power consumption (PowerSave)	1.8 W
		Power consumption (ready)	5.5 W
		Power consumption (off)	0.04 W
		AC input voltage	220 - 240 V
		AC input frequency	50 - 60 Hz

Features		System requirements	
Number of print cartridges *	4	Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Printing colours *	Black, Cyan, Magenta, Yellow		
Country of origin	China		
Input & output capacity			
Total input capacity *	250 sheets		
Total output capacity *	50 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	80 sheets		
Paper input type	Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	3 sheets	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Manual feeder	✓		
Paper handling			
Maximum ISO A-series paper size *	A3		
Paper tray media types *	Coated paper, Glossy paper, Matte paper, Photo paper, Plain paper		
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6		
Non-ISO print media sizes	2L, Executive, Folio, Index card, L, Ledger (media size), Letter		
JIS B-series sizes (B0...B9)	B4, B5		
Envelopes sizes	Com-10, DL, Monarch		
Photo paper sizes	9x13,10x15,13x18,13x20		
Borderless printing media sizes	10x15, 2L, A3, A4, Index card, Ledger, Letter		
Paper tray media weight	64 - 220 g/m²		
Duplex media weight	64 - 120 g/m²		
Ports & interfaces			
Standard interfaces	Ethernet, USB 1.1, USB 2.0, Wireless LAN		
Direct printing *	✓		
USB port	✓		
USB 1.1 ports quantity	1		
USB 2.0 ports quantity	1		
Network			
Wi-Fi *	✓		
Operational conditions			
Operating relative humidity (H-H)	20 - 80%		
Storage temperature (T-T)	20 - 33 °C		
Operating temperature (T-T)	10 - 35 °C		
Storage relative humidity (H-H)	20 - 80%		
Sustainability			
Sustainability certificates	Nordic Swan Ecolabel, ENERGY STAR		
Weight & dimensions			
Width	410 mm		
Depth	350 mm		
Height	590 mm		
Weight	12.3 kg		
Packaging data			
Package width	589 mm		
Package depth	425 mm		
Package height	362 mm		
Package weight	14.4 kg		
Packaging content			
Bundled software	Brother ControlCentre 2 NewSoft Presto! PageManager 9 Brother ControlCentre 4 Nuance Paperport 12 SE		
Logistics data			
Pallet gross height	16.1 cm		
Pallet gross weight	246.5 kg		
Master (outer) cases per pallet	16 pc(s)		
Layers per pallet	4 pc(s)		
Products per pallet	16 pc(s)		
Technical details			
Master (outer) cases per pallet layer	4 pc(s)		


Technical details	
Pallet type	1200 x 1000 mm
Other features	
PictBridge	✓
Energy saving mode	✓



4977766737128



4977766737111



4977766737319

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date