


PRODUCT-DETAILS

UVR-C T4-T5-T6 110..127Vac - 110..125Vdc

UVR-C T4-T5-T6 110..127Vac - 110..125Vdc



Información General

Tipo de producto extendido	UVR-C T4-T5-T6 110..127Vac - 110..125Vdc
Código de producto	1SDA054890R1
EAN	8015644560188
Descripción corta	UVR-C T4-T5-T6 110..127Vac - 110..125Vdc
Descripción larga	UNDERVOLTAGE RELEASE WIRED 110...127V AC-110...125V DC T4-T5-T6

Clasificación

E-Number (Finland)	3655637
E-Number (Sweden)	3180976
EAN	8015644560188
Cantidad mínima de pedido	1 piece
Código arancelario	85389099
Order Code US and Canada	KT5U4

Dimensiones

Peso del product	0.12 kg
------------------	---------

Información de Embalaje

Embalaje Nivel 1	1 piece
Unidades	
Embalaje Nivel 1 Ancho	110 mm
Embalaje Nivel 1 Alto	60 mm
Embalaje Nivel 1 Largo	140 mm
Embalaje Nivel 1 Peso	0.15 kg
Embalaje Nivel 1 EAN	8015644560188

Ambiente

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Información Adicional

Configuration Type	Loose or configurable
Current Type	AC/DC
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	ACC
Rated Voltage (U _r)	110 ... 127 V AC 110 ... 125 V DC
Standards	IEC
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Certificados y Declaraciones (Número de Documento)

Ficha técnica, información técnica	1SDC210015D0208 1SDC210300D0201
Declaración de conformidad - CE	1SDL000158R137
Instrucciones y manuales	1SDH000436R0601
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Clasificaciones

ETIM 6	EC001022 - Under voltage coil
ETIM 7	EC001022 - Under voltage coil
Object Classification Code	Q
UNSPSC	39120000
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Accessories for Formula DSA

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Accessories for Tmax T

