

## DELL Inspiron 3511 Intel® Core™ i5 i5-1035G1 Computadora portátil 39.6 cm (15.6") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 5 (802.11ac) Windows 11 Home in S mode Negro

Marca : DELL Familia de productos: Código del producto: Inspiron I3511-5174BLK-PUS

Nombre del producto: 3511

DELL Inspiron 3511. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel® Core™ i5, Modelo del procesador: i5-1035G1, Frecuencia del procesador: 1 GHz. Diagonal de la pantalla: 39.6 cm (15.6"), Tipo HD: Full HD, Resolución de la pantalla: 1920 x 1080 Pixeles. Memoria interna: 8 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 256 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel® UHD Graphics. Sistema operativo instalado: Windows 11 Home in S mode. Color del producto: Negro





Design		Ports & interfaces	
Product type * Product colour * Form factor *	Laptop Black Clamshell	USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1 2
Display		HDMI ports quantity * HDMI version	1 1.4
Display diagonal *	39.6 cm (15.6")	Combo headphone/mic port	✓
Display resolution * Touchscreen *	1920 x 1080 pixels x	Keyboard	
HD type Panel type	Full HD WVA	Pointing device Numeric keypad *	Touchpad 🗸
LED backlight	<b>✓</b>	Software	
Native aspect ratio Anti-glare screen	16:9 ✓	Operating system architecture Operating system installed *	64-bit Windows 11 Home in S mode
Display brightness	220 cd/m²	Processor special features	
Pixel density RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical)	141 ppi NTSC 45% 60 Hz 400:1	Intel Trusted Execution Technology Intel VT-x with Extended Page Tables (EPT) Intel TSX-NI	✓ ×
Processor		Intel Stable Image Platform Program (SIPP)	×
Processor manufacturer * Processor family *	Intel Intel® Core™ i5	Intel Software Guard Extensions (Intel SGX)	<b>✓</b>
Processor generation	10th gen Intel® Core™ i5	Intel 64	✓
Processor model *	i5-1035G1	Execute Disable Bit	<b>✓</b>
Processor cores	4 2.6 CU=	Idle States	<b>✓</b>
Processor boost frequency Processor frequency *	3.6 GHz 1 GHz	CPU configuration (max)	1
Processor cache Configurable TDP-up frequency	6 MB 1.2 GHz	Embedded options available Intel Virtualization Technology for Directed I/O (VT-d)	× .

_			
Processor		Processor special features	
Configurable TDP-up Configurable TDP-down	25 W 13 W	Intel Virtualization Technology (VT-x)	<b>✓</b>
Configurable TDP-down frequency	0.7 GHz	Battery	
Memory		Battery technology	Lithium Polymer (LiPo)
Internal memory * Internal memory type Memory form factor Memory slots Maximum internal memory *	8 GB DDR4-SDRAM SO-DIMM 2x SO-DIMM 16 GB	Number of battery cells Battery capacity * Battery voltage Removable battery Battery recharge time	3 41 Wh 11.25 V X 4 h
Storage		Battery charge indicator	✓
Total storage capacity *	256 GB	Battery weight	190 g
Storage media *	SSD	Power	
Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor	256 GB 1 256 GB NVMe, PCI Express  M.2	AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
Optical drive type *	×	Security	
Card reader integrated Compatible memory cards	✓ SD, SDHC, SDXC	Cable lock slot Password protection	·
		r assirora proceedion	•
Graphics		0	
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *	Not available  ✓ Intel  X Intel® UHD Graphics	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 40 °C -40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card *	✓ Intel ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *	✓ Intel ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio  Number of built-in speakers Speaker power	Intel  Intel® UHD Graphics  2 2 W	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Number of built-in speakers Speaker power Built-in microphone	Intel  Intel® UHD Graphics  2 2 W	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Number of built-in speakers Speaker power Built-in microphone  Camera Front camera Front camera resolution (numeric) Front camera resolution	Intel  Intel® UHD Graphics  2 2 W   0.92 MP 1280 x 720 pixels	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Number of built-in speakers Speaker power Built-in microphone  Camera Front camera Front camera resolution (numeric) Front camera HD type	Intel  Intel® UHD Graphics  2 2 W   0.92 MP  1280 x 720 pixels HD	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G ENERGY STAR
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio  Number of built-in speakers Speaker power Built-in microphone  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed	Intel  Intel® UHD Graphics  2 2 W   0.92 MP 1280 x 720 pixels	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Number of built-in speakers Speaker power Built-in microphone  Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed  Network	Intel  Intel® UHD Graphics  2 2 W   0.92 MP 1280 x 720 pixels HD 30 fps	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G ENERGY STAR
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio  Number of built-in speakers Speaker power Built-in microphone  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed	Intel  Intel® UHD Graphics  2 2 W   0.92 MP  1280 x 720 pixels HD	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight *	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G ENERGY STAR 358.5 mm 235.6 mm 1.75 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio  Number of built-in speakers Speaker power Built-in microphone  Camera  Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed  Network  Top Wi-Fi standard *	Intel  X Intel® UHD Graphics  2 2 W  V  0.92 MP 1280 x 720 pixels HD 30 fps  Wi-Fi 5 (802.11ac)	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Sustainability Sustainability certificates  Weight & dimensions  Width Depth Height (front) Height (rear)	-40 - 65 °C 10 - 90% 0 - 95% 0 - 3048 m 0 - 10668 m 140 G 160 G 0.66 G 1.3 G ENERGY STAR 358.5 mm 235.6 mm 1.75 cm 1.89 cm

Bluetooth

