



BenQ InstaShow WDC10C sistema de presentación inalámbrico USB Tipo C

Marca : BenQ

Código del producto: 9H.JLD78.N3E

Nombre del producto : InstaShow WDC10C

BenQ InstaShow WDC10C. Color del producto: Negro. Formatos gráficos soportados: 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768, 1280 x..., Formato de vídeo soportado: 720p, 1080p, Velocidad máxima de cuadro: 60 fps. Tipo de antena: Interno y externo. Estándares de Wi-Fi: Wi-Fi 5 (802.11ac), Wi-Fi velocidad de transferencia de datos (máx.): 867 Mbit/s, Máximo estándar Wi-Fi: Wi-Fi 5 (802.11ac). Interfaz: USB Tipo C



Design		Power	
Product colour	Black	Power source type *	DC, USB
LED indicators	✓	Input voltage	5 V
Features		System requirements	
Supported graphics resolutions	800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768, 1280 x 800, 1280 x 960, 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Windows operating systems supported	✓
		Mac compatibility	✓
Supported video modes	720p, 1080p	Mac operating systems supported	✓
Maximum frame rate	60 fps	Operational conditions	
Concurrent users	16 user(s)	Operating temperature (T-T)	0 - 40 °C
Security updates end date	31/12/2024	Operating relative humidity (H-H)	10 - 80%
Management features		Storage temperature (T-T)	-10 - 60 °C
Reset button	✓	Storage relative humidity (H-H)	5 - 90%
Antenna		Weight & dimensions	
Antenna type	Internal & external	Weight	1.27 kg
Network		Package width	390 mm
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Package depth	485 mm
Wi-Fi data rate (max)	867 Mbit/s	Package height	205 mm
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Package weight	7.6 kg
Frequency band	5 GHz	Packaging content	
Ethernet LAN	✓	Cables included	HDMI, USB
Ethernet LAN data rates	10,100 Mbit/s	Quick start guide	✓
Security algorithms	128-bit AES, WPA2, WPA2-Enterprise, WPA2-PSK	Logistics data	
Maximum operating distance	8 m	Country of origin	Taiwan
		Products per pallet	144 pc(s)
		Harmonized System (HS) code	8517620000

Ports & interfaces

Interface *	USB Type-C
Number of HDMI outputs	1
HDMI version	1.4
Ethernet LAN (RJ-45) ports	1
DC-in jack	✓



4718755078804



0840046041380



840046041380

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.