

## KYOCERA ECOSYS P3150dn 1200 x 1200 DPI A4

**Marca :** KYOCERA

**Código del producto:** 1102TS3NLO

**Nombre del producto :** ECOSYS P3150dn



KYOCERA ECOSYS P3150dn. Tecnología de impresión: Laser. Número de cartuchos de impresión: 1, Ciclo de trabajo (máximo): 25000 páginas por mes. Resolución máxima: 1200 x 1200 DPI. Tamaño máximo de papel ISO A-series: A4. Velocidad de impresión (negro, calidad normal, A4/US Carta): 50 ppm, Impresión a doble cara. Pantalla: LCD. Listo para redes. Color del producto: Negro, Blanco

Printing		Network	
Duplex printing mode	Auto	Near Field Communication (NFC)	✗
Colour *	✗	Bluetooth	✗
Print technology *	Laser	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Duplex printing *	✓		
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	50 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	35.5 ppm		
Warm-up time	20 s		
Time to first page (black, normal)	5.4 s		
Features		Performance	
Maximum duty cycle *	25000 pages per month	Internal memory *	512 MB
Recommended duty cycle	10000 - 20000 pages per month	Maximum internal memory	2560 MB
Printing colours *	Black	Card reader integrated	✓
Number of print cartridges *	1	Compatible memory cards	SD, SDHC
Page description languages *	OpenXPS, PCL 5c, PCL 6, PCL XL, PDF, PostScript 3, TIFF, XPS	Built-in processor	✓
Replacement cartridges	TK-3160 (12.500 pagina's) TK-3170 (15.500 pagina's)	Processor family	ARM Cortex
		Processor model	A9
		Processor frequency	1200 MHz
		Processor cores	2
		Sound pressure level (printing)	54.5 dB
		Sound pressure level (quiet mode)	50.3 dB
Input & output capacity		Design	
Total number of input trays *	1	Market positioning *	Business
Total input capacity *	500 sheets	Product colour *	Black, White
Total output capacity *	500 sheets	Built-in display *	✓
Paper tray 1 input capacity	500 sheets	Display	LCD
Paper input type	Cassette, Paper tray	Colour display	✗
Multi-Purpose tray	✓	Touchscreen	✗
Multi-Purpose tray input capacity	100 sheets	Display number of lines	5 lines
Maximum number of input trays	5	Certification	GS, TÜV, CE
Maximum input capacity	2600 sheets		
Maximum output capacity	500 sheets		
Paper handling		Power	
Maximum ISO A-series paper size *	A4	Power consumption (printing) *	636 W
Maximum print size	216 x 356 mm	Power consumption (ready)	11 W
Paper tray media types *	Plain paper	Power consumption (PowerSave)	0.5 W
Multi-purpose tray media types	Legal, Letter	Energy Star Typical Electricity Consumption (TEC)	2.39 kWh/week
ISO A-series sizes (A0...A9) *	A4, A5, A6	AC input voltage	220 - 240 V
ISO B-series sizes (B0...B9)	B5	AC input frequency	50 - 60 Hz
Non-ISO print media sizes	Legal, Letter		
Custom media width	70 - 216 mm		
Custom media length	140 - 356 mm		
Paper tray media weight	60 - 120 g/m²		
Multi-Purpose Tray media weight	60 - 220 g/m²		
		System requirements	
		Windows operating systems supported	✓
		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks
		Linux operating systems supported	✓

Paper handling		Sustainability	
Duplex media weight	60 - 120 g/m²	Sustainability certificates	Blue Angel, ENERGY STAR
Ports & interfaces		Weight & dimensions	
Standard interfaces	RJ-45, USB 2.0	Width	390 mm
Direct printing *	✓	Depth	416 mm
USB port *	✓	Height	343 mm
USB 2.0 ports quantity	2	Weight	16.1 kg
USB connector	USB Type-A	Packaging data	
Optional connectivity	Ethernet, Parallel, Wireless LAN	Package width	549 mm
Network		Package depth	517 mm
Network ready	✓	Package height	455 mm
Wi-Fi *	✗	Package weight	21 kg
Ethernet LAN *	✓	Packaging content	
Cabling technology	10/100/1000Base-T(X)	Cartridge(s) included	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Included cartridge capacity (black)	6000 pages
		Cables included	AC
Logistics data			
		Harmonized System (HS) code	84433210



0632983051061



632983051061

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date