



Dahua Technology WizSense IPC-HFW2449S-S-IL Bala (forma) Cámara de seguridad IP Interior y exterior 2688 x 1520 Píxeles Techo/pared

Marca : Dahua Technology

Familia de productos:
WizSense

Código del producto: DH-IPC-
HFW2449S-S-IL

Nombre del producto : IPC-
HFW2449S-S-IL

Dahua Technology WizSense IPC-HFW2449S-S-IL. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Bala (forma). Iluminación mínima: 0.0008 Lux, Ángulo de rotación: 360°, Ángulo de inclinación: 0 - 90°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.9 mm (1 / 2.9"). Distancia más cercana de enfoque: 0.9 m



Performance		Audio	
Type *	IP security camera	Audio formats supported	G.711 A-law, G.711 µ-law, G.726, PCM
Placement supported *	Indoor & outdoor	Signal-to-Noise Ratio (SNR)	56 dB
Connectivity technology *	Wired	Built-in microphone	✓
Wide Dynamic Range (WDR)	✓	Network	
Certification	CE-LVD: EN 62368-1 CE-EMC: 2014/30/EU FCC: 47 CFR FCC Part 15, Subpart B	Ethernet LAN *	✓
Design		Ethernet interface type	Fast Ethernet
Form factor *	Bullet	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP
Mounting type *	Ceiling/wall	Wi-Fi *	✗
Product colour *	White	Bluetooth *	✗
Housing material	Metal	Number of users	6 user(s)
International Protection (IP) code	IP67	Storage	
Camera		Built-in HDD *	✗
Minimum illumination	0.0008 lx	Card reader integrated	✓
Angle of rotation	360°	Compatible memory cards	MicroSD (TransFlash)
Tilt angle range	0 - 90°	Maximum memory card size	256 GB
Pan range	0 - 360°	Internal memory	128 MB
White balance	Auto, Manual, Natural, Outdoor, Street lamp	ROM capacity	128 MB
Camera shutter speed	1/3 - 1/100000 s	Ports & interfaces	
Adjustment shutter speed	Auto/Manual	Ethernet LAN (RJ-45) ports	1
Image sensor		Security	
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	Video motion detection	✓
Progressive scan	✓	HTTPS encryption	✓
Sensor type *	CMOS	Privacy protection	✓
Lens system			
Number of lenses *	2		

Lens system		Security	
Fixed focus	✓	Intelligent Video Surveillance (IVS) system features	Intrusion, Tripwire
Maximum aperture number	1.6	Mirror	✓
Closest focusing distance	0.9 m	Management features	
Night vision		Web-based management	✓
Night vision *	✓	Web browser	✓
Night vision distance	30 m	Management software	DSS; DMSS
LED type	IR	Power	
Number of illumination LEDs	1	Power source type *	DC, PoE
Video		Power consumption (typical)	2.1 W
Maximum resolution *	2688 x 1520 pixels	Power consumption (max)	4.4 W
Total megapixels *	4 MP	Power consumption (Power over Ethernet (PoE))	2.5 W
Video compression formats	H.264, H.264+, H.264B, H.264H, H.265, H.265+, M-JPEG	Operational conditions	
Supported graphics resolutions	342 x 240, 352 x 288, 640 x 480 (VGA), 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2304 x 1296, 2560 x 1440, 2688 x 1520	Operating temperature (T-T)	-40 - 60 °C
Noise reduction	✓	Storage temperature (T-T)	-40 - 60 °C
Noise reduction technology	3D noise reduction	Operating relative humidity (H-H)	0 - 95%
Gain control type	Auto/Manual	System requirements	
Privacy masking	✓	Mobile operating systems supported	Android, iOS
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Weight & dimensions	
Back Light Compensation (BLC)	✓	Width	70 mm
Highlight Compensation (HLC)	✓	Depth	166.2 mm
Region of Interest (ROI) encoding	✓	Height	70 mm
		Weight	480 g
		Packaging data	
		Package weight	590 g
		Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date