



## LG 55UH5J-H pantalla de señalización Pantalla plana de señalización digital 139.7 cm (55") IPS Wifi 500 cd / m<sup>2</sup> UHD+ Negro 24/7

Marca : LG

Código del producto: 55UH5J-H

Nombre del producto : 55UH5J-H

LG 55UH5J-H. Diseño de producto: Pantalla plana de señalización digital. Diagonal de la pantalla: 139.7 cm (55"), Tecnología de visualización: IPS, Resolución de la pantalla: 3840 x 2160 Píxeles, Brillo de pantalla: 500 cd / m<sup>2</sup>, Tipo HD: UHD+. Wifi. Horas de funcionamiento (horas/días): 24/7. Color del producto: Negro



Display		Performance	
LED backlighting type	Edge-LED	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Japanese, Norwegian, Portuguese, Russian, Swedish, Turkish
Display diagonal *	139.7 cm (55")		
Display technology *	IPS		
Display resolution *	3840 x 2160 pixels		
Display brightness *	500 cd/m <sup>2</sup>	Operating hours (hours/days)	24/7
HD type *	UHD+	HDCP	✓
Native aspect ratio	16:9	International Protection (IP) code	IP5X
Response time	8 ms	HDCP version	1.4
Contrast ratio (typical)	1100:1	Power	
Contrast ratio (dynamic)	1000000:1	Power consumption (typical) *	110 W
Viewing angle, horizontal	178°	Power consumption (off)	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	150 W
Display number of colours	1.07 billion colours	Energy efficiency class (SDR)	G
Colour saturation	95%	Energy consumption (SDR) per 1000 hours	99 kWh
Rated lifetime	50000 h	AC input voltage	100 - 240 V
Native refresh rate	60 Hz	AC input frequency	50 - 60 Hz
Haze rate	28%	Heat dissipation	376 BTU/h
Ports & interfaces		Energy efficiency scale	A to G
HDMI ports quantity *	4	Weight & dimensions	
HDMI version	2.2	Width	1234.4 mm
HDMI input ports quantity	3	Depth	39.9 mm
HDMI output ports quantity	1	Height	720.9 mm
DVI port *	✓	Weight	19 kg
DisplayPorts quantity *	1	Width (with stand)	1234.4 mm
USB port *	✓	Depth (with stand)	290 mm
USB ports quantity	1	Height (with stand)	770.7 mm
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Weight (with stand)	19.6 kg
Ethernet LAN *	✓	Packaging data	
Ethernet LAN (RJ-45) ports	1	Package width	1360 mm
Wi-Fi *	✓	Package depth	175 mm
Audio (L/R) in	1	Package height	835 mm
Audio (L/R) out	1	Package weight	24.2 kg
RS-232 interface	✓		
RS-232C	✓		

Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Design		Remote control type	ST-653T
Product design *	Digital signage flat panel	Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation	Horizontal/Vertical	Operating relative humidity (H-H)	10 - 80%
Product colour *	Black	Certificates	
VESA mounting *	✓	Certification	CB / NRTL, FCC Class "A" / CE / KC, ErP
Panel mounting interface	300 x 300 mm	Technical details	
Mounting type	Wall	Internal memory	16 MB
Performance		Other features	
Purpose *	Universal	Power consumption (PowerSave)	77 W
Number of OSD languages	19		



8806091657138



0195174033791



195174033791



8806091655035

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date