



Dahua Technology DH-HAC-HDBW1801EAN(-A) cámara de vigilancia Domo Cámara de seguridad CCTV Exterior 3840 x 2160 Píxeles Techo/pared



Marca : Dahua Technology

Código del producto: DH-HAC-HDBW1801EAN(-A)

Nombre del producto : DH-HAC-HDBW1801EAN(-A)

Camara Domo Antivandalica 4k/ 8 Megapíxeles/ Lente de 2.8mm/ 106 Grados de Apertura/ Metalica/ Super Adapt/ WDR Real de 120 dB/ IR de 40 Metros/ ip67/ IK10/ Dahua Technology DH-HAC-HDBW1801EAN(-A). Tipo: Cámara de seguridad CCTV, Colocación compatible: Exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Domo. Ángulo de rotación: 355°, Ángulo de visión del objetivo, horizontal: 88°, Ángulo de visión del objetivo, vertical: 46°. Tipo de sensor: CMOS, Número de píxeles efectivos (A x V): 3840 x 2160 Píxeles. Intervalo de longitud focal: 2.8 - 3.6 mm, Distancia de detección (angular): 106.7 m, Distancia de observación (angular): 42.7 m

Performance		Night vision	
Type *	CCTV security camera	LED type	IR
Placement supported *	Outdoor	Number of illumination LEDs	3
Connectivity technology *	Wired	Video	
Wide Dynamic Range (WDR)	✓	Maximum resolution *	3840 x 2160 pixels
Day/night mode	✓	Total megapixels *	4 MP
Dynamic range	120 dB	Supported graphics resolutions	960 x 480, 960 x 576, 2560 x 1440, 2592 x 1944, 3840 x 2160
Certification	CE-LVD: EN 62368-1; CE-EMC: EN 55032; EN 55035; FCC: 47 CFR FCC Part 15, Subpart B; UL: UL62368-1 + CAN/CSA C22.2 No. 62368-1-14	Frame rate	30 fps
		Analog signal format system	NTSC
		Noise reduction	✓
Design		Noise reduction technology	3D noise reduction
Form factor *	Dome	Gain control type	Auto
Mounting type *	Ceiling/wall	Privacy masking	✓
Product colour *	White	Back Light Compensation (BLC)	✓
Housing material	Metal	Highlight Compensation (HLC)	✓
International Protection (IP) code	IP67	Audio	
IK code	IK10	Built-in microphone	✓
Camera		Network	
Minimum illumination	0 lx	Ethernet LAN *	✗
Angle of rotation	355°	Wi-Fi *	✗
Lens viewing angle, horizontal	88°	Bluetooth *	✗
Lens viewing angle, vertical	46°	Storage	
Lens viewing angle, diagonal	105°	Built-in HDD *	✗
Tilt angle range	0 - 80°	Ports & interfaces	
Pan range	0 - 355°	BNC output ports	1
White balance	Auto, Manual	Security	
Camera shutter type	Electronic	Mirror	✓
Camera shutter speed	1/30 - 1/100000 s	Power	
Image sensor		Power source type *	DC
Number of sensors	1	Power consumption (max)	7.92 W
Sensor type *	CMOS	DC output voltage	12
Number of effective pixels (H x V)	3840 x 2160 pixels	Operational conditions	
Panoramic camera		Operating temperature (T-T)	-30 - 60 °C
Maximum aperture number (panoramic camera)	2	Storage temperature (T-T)	-30 - 60 °C
Lens system		Operating relative humidity (H-H)	0 - 95%
Zoom capability	✓		
Number of lenses *	1		

Lens system		Operational conditions	
Focal length range	2.8 - 3.6 mm	Storage relative humidity (H-H)	0 - 95%
Maximum aperture number	1.5	Weight & dimensions	
Detect distance (wide)	106.7 m	Diameter	11.2 cm
Observe distance (wide)	42.7 m	Weight	450 g
Recognize distance (wide)	21.3 m	Packaging data	
Identify distance (wide)	10.7 m	Package width	147 mm
Night vision		Package depth	138 mm
Night vision *	✓	Package height	135 mm
Night vision distance	40 m	Package weight	640 g
		Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date