tp-link

TP-Link TL-WN725N tarjeta de red WLAN 150 Mbit/s

Marca : TP-Link

Nombre del producto : TL-WN725N

Código del producto: TL-WN725N

TP-Link TL-WN725N. Tecnología de conectividad: Inalámbrico, Interfaz de host: USB, Interfaz: WLAN. Rango máximo de transferencia de datos: 150 Mbit/s, Máximo estándar Wi-Fi: Wi-Fi 4 (802.11n), Banda Wi-Fi: Banda única (2,4 GHz). USB con suministro de corriente. Color del producto: Negro

Ports & interfaces

Connectivity technology *	Wireless
Host interface *	USB
Interface *	WLAN
USB version	2.0

Network

Maximum data transfer rate *	150 Mbit/s
Networking standards *	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Wi-Fi band	Single-band (2.4 GHz)
Frequency range	2.4 - 2.4835 GHz
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN data transfer rates supported	11,54,150 Mbit/s
Modulation	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, WPA, WPA-PSK, WPA-TKIP, WPA2, WPA2-PSK

Design

Component for *	PC/Laptop
Product colour	Black
Internal *	✘
Antenna	✔
Antenna design	Internal
Transmitting power (CE)	20 dBm
Transmitting power (FCC)	20 dBm
LED indicators	Status
Operating modes	Infrastructure mode

System requirements

Windows operating systems supported	Windows 7 Professional x64, Windows 8.1 Pro, Windows 10, Windows 7 Starter, Windows 8.1 Pro x64, Windows 10 Education, Windows 7 Starter x64, Windows 8.1 x64, Windows 10 Education x64, Windows 7 Ultimate, Windows 10 Enterprise, Windows 7 Ultimate x64, Windows 10 Enterprise x64, Windows 7 x64, Windows 10 Home, Windows 8, Windows 10 Home x64, Windows 7, Windows 8 Enterprise, Windows 10 IOT Core, Windows 7 Enterprise, Windows 8 Enterprise x64, Windows XP, Windows 10 IoT Enterprise, Windows 7 Enterprise x64, Windows 8 Pro, Windows XP Home, Windows 10 Pro, Windows 7 Home Basic, Windows 8 Pro x64, Windows XP Home x64, Windows 10 Pro x64, Windows 7 Home Basic x64, Windows 8 x64, Windows XP Professional, Windows 10 x64, Windows 7 Home Premium, Windows 8.1, Windows XP Professional x64, Windows 7 Home Premium x64, Windows 8.1 Enterprise, Windows 7 Professional, Windows 8.1 Enterprise x64
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina
Linux operating systems supported	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%

Power

USB powered	✔

Operational conditions

Storage relative humidity (H-H)	5 - 90%

Sustainability

Sustainability compliance	✔

Weight & dimensions

Width	18.6 mm
Depth	15 mm
Height	7.1 mm
Weight	2.1 g

Packaging data

Package width	138 mm
Package depth	128 mm
Package height	30 mm
Package weight	90 g

Packaging content

Resource CD	✔
Quick installation guide	✔

Technical details

Compliance certificates	CE, Federal Communications Commission (FCC), RoHS

Logistics data

Harmonized System (HS) code	85176990

6935364050719