Buffalo TeraStation TS5420DN3204 servidor NAS o de almacenamiento Escritorio Annapurna Labs AL524 8 GB DDR4 32 TB Unidad de disco duro Negro

Marca : Buffalo Familia de productos: Código del producto: TeraStation TS5420DN3204

Nombre del producto:

TS5420DN3204

Buffalo TeraStation TS5420DN3204. Tipo: NAS. Tipo de chasis: Escritorio. Familia de procesador: Annapurna Labs, Modelo del procesador: AL524, Frecuencia del procesador: 2.04 GHz. Memoria interna: 8 GB, Tipo de memoria interna: DDR4. Capacidad de almacenamiento total instalado: 32 TB, Tipo de unidades de almacenamiento instaladas: Unidad de disco duro





Storage		Ports & interfaces	
Storage drive capacity * RAID support *	8 TB	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity Ethernet LAN (RJ-45) ports *	2
RAID levels	0, 1, 5, 6, 10, JBOD	Design	-
Storage drives installed *	•	_	5 1.
Total installed storage capacity *	32 TB	Chassis type * Product colour	Desktop Black
Number of storage drives installed *			DidCK
Number of storage drives supported *	4	Performance	
Installed storage drive type *	HDD	Type *	NAS
Supported storage drive types *	HDD	Backup function *	✓
Processor		Backup features	iscsi lun
Processor manufacturer *	Annapurna Labs	Snapshot	✓
Processor family *	Annapurna Labs	Security algorithms	SNMP
Processor model *	AL524	Hot spare	✓
Processor frequency *	2.04 GHz	Software	
Processor cores	4	Windows operating systems	1
Memory		supported	•
Internal memory *	8 GB	Mac operating systems supported	✓
Internal memory type	DDR4	Power	
Network		Power consumption (max)	100 W
Ethernet LAN *	1	AC input voltage	100 - 240 V
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	AC input frequency	50 - 60 Hz
Ethernet LAN data rate supported	10000 Mbit/s	Weight & dimensions	
(max)		Width *	170 mm
Copper ethernet cabling technology	10BASE-T, 1000BASE-T	Depth *	230 mm
iSCSI support	✓	Height *	215 mm
Supported network protocols	CIFS/SMB, AFP, FTP/FTPS/SFTP, NFS	Weight	5.63 kg

Ports & interfaces		Weight & dimensions	
USB port *	✓	Package width	310 mm
USB 2.0 ports quantity	2	Package depth	358 mm
		Package height	362 mm
		Package weight	7.26 kg
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	10 - 85%





747464135830

0747464135830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.