

Buffalo TeraStation TS5420DN3204 servidor NAS o de almacenamiento Escritorio Annapurna Labs AL524 8 GB DDR4 32 TB Unidad de disco duro Negro

Marca : Buffalo

Familia de productos:
TeraStation

Código del producto:
TS5420DN3204

Nombre del producto :
TS5420DN3204

Buffalo TeraStation TS5420DN3204. Tipo: NAS. Tipo de chasis: Escritorio. Familia de procesador: Annapurna Labs, Modelo del procesador: AL524, Frecuencia del procesador: 2.04 GHz. Memoria interna: 8 GB, Tipo de memoria interna: DDR4. Capacidad de almacenamiento total instalado: 32 TB, Tipo de unidades de almacenamiento instaladas: Unidad de disco duro



Storage		Ports & interfaces	
Storage drive capacity *	8 TB	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
RAID support *	✓	Ethernet LAN (RJ-45) ports *	3
RAID levels	0, 1, 5, 6, 10, JBOD	Design	
Storage drives installed *	✓	Chassis type *	Desktop
Total installed storage capacity *	32 TB	Product colour	Black
Number of storage drives installed *	4	Performance	
Number of storage drives supported *	4	Type *	NAS
Installed storage drive type *	HDD	Backup function *	✓
Supported storage drive types *	HDD	Backup features	iSCSI LUN
Processor		Snapshot	✓
Processor manufacturer *	Annapurna Labs	Security algorithms	SNMP
Processor family *	Annapurna Labs	Hot spare	✓
Processor model *	AL524	Software	
Processor frequency *	2.04 GHz	Windows operating systems supported	✓
Processor cores	4	Mac operating systems supported	✓
Memory		Power	
Internal memory *	8 GB	Power consumption (max)	100 W
Internal memory type	DDR4	AC input voltage	100 - 240 V
Network		AC input frequency	50 - 60 Hz
Ethernet LAN *	✓	Weight & dimensions	
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	Width *	170 mm
Ethernet LAN data rate supported (max)	10000 Mbit/s	Depth *	230 mm
Copper ethernet cabling technology	10BASE-T, 1000BASE-T	Height *	215 mm
iSCSI support	✓	Weight	5.63 kg
Supported network protocols	CIFS/SMB, AFP, FTP/FTPS/SFTP, NFS		

Ports & interfaces		Weight & dimensions	
USB port *	✓	Package width	310 mm
USB 2.0 ports quantity	2	Package depth	358 mm
		Package height	362 mm
		Package weight	7.26 kg
Operational conditions			
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	10 - 85%



0747464135830



747464135830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date