ASUS ROG STRIX X670E-F GAMING WIFI AMD X670 Enchufe AM5 ATX

Marca: ASUS Código del producto: 90MB1BA0-M0UAY0

Nombre del producto: ROG STRIX X670E-F GAMING

WIF

ASUS ROG STRIX X670E-F GAMING WIFI. Fabricante de procesador: AMD, Socket de procesador: Enchufe AM5, Procesador compatible: AMD Ryzen™ 7. tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 128 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1, 10. Tipo de interfaz ethernet: 2.5 Gigabit Ethernet, Máximo estándar Wi-Fi: Wi-Fi 6E (802.11ax), Estándares de Wi-Fi: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax). Componente para: PC, Factor de forma de la tarjeta madre: ATX, Familia del chipset: AMD





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	AMD Socket AM5	HDMI version DisplayPorts quantity	2.1 1
Compatible processor series *	AMD Ryzen™ 7	DisplayPort version	1.4
Memory		Headphone outputs	1
"	DDR5-SDRAM	Line-in	•
	4 DIMM	Microphone in	✓
, , , , .	Dual-channel	S/PDIF out port	✓
•	ECC & Non-ECC	Digital audio optical out	1
	4800,5000,5200,5400,5600,5800,6000,62 MHz	Network	
	128 GB	Ethernet LAN	✓
Unbuffered memory	✓	Ethernet interface type	2.5 Gigabit Ethernet
Storage controllers		Wi-Fi *	✓
Supported storage drive types	HDD & SSD	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported storage drive interfa RAID support	ces * M.2, SATA III ✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)
RAID levels	0, 1, 10	Bluetooth	✓
Graphics		Bluetooth version	5.2
Parallel processing technology support *	Not supported	Features	
Internal I/O		Motherboard chipset * Audio chip	AMD X670 Realtek ALC4080
USB 2.0 connectors *	4	Audio Crip Audio output channels *	7.1 channels
USB 3.2 Gen 1 (3.1 Gen 1)	2	Component for *	PC
connectors *		Motherboard form factor *	ATX
Number of SATA III connectors		Motherboard chipset family *	AMD
Front panel audio connector	•	Cooling type	Active
ATX Power connector (24-pin)	✓ ✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
CPU fan connector	•		
Number of chassis fan connector Thunderbolt headers	ors 5 1	Expansion slots	
12V power connector	1 ✓	PCI Express x1 (Gen 3.x) slots	1
•	-	PCI Express x16 (Gen 4.x) slots	1
RGB LED pin header	/	PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	1 4

Rear panel I/O ports		BIOS	
USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2 7	BIOS type * BIOS memory size Clear CMOS button	UEFI AMI 256 Mbit ✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2	Packaging data	
USB 3.2 Gen 2x2 Type-C ports quantity Ethernet LAN (RJ-45) ports * HDMI ports quantity *	1 1 1	Package width Package depth Package height Package weight	338 mm 273 mm 680 mm 2.55 kg
		Weight & dimensions	
		Width Depth	305 mm 244 mm
		Packaging content	
		Cables included	SATA

