


GIGABYTE B760M GAMING AC DDR4 placa base Intel B760 Express LGA 1700 Micro ATX

Marca : GIGABYTE

Código del producto: B760M GAMING AC DDR4


Nombre del producto : B760M GAMING AC DDR4 Placa Base - Compatible con procesadores Intel Core de 14ª generación, VRM digital de 6+2+1 fases, hasta 5333MHz DDR4 (OC), 2x PCIe 4.0 M.2, Wi-Fi 802.11ac, LAN 2.5GbE, USB 3.2 Gen 1



B760M GAMING AC DDR4 Placa Base - Compatible con procesadores Intel Core de 14ª generación, VRM digital de 6+2+1 fases, hasta 5333MHz DDR4 (OC), 2x PCIe 4.0 M.2, Wi-Fi 802.11ac, LAN 2.5GbE, USB 3.2 Gen 1

GIGABYTE B760M GAMING AC DDR4 placa base Intel B760 Express LGA 1700 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Microphone in	✓
Processor socket *	LGA 1700	Network	
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	Ethernet LAN	✓
	Intel® Core™ i5, Intel® Core™ i7,	Ethernet interface type	2.5 Gigabit Ethernet
	Intel® Core™ i9, Intel® Pentium® Gold	Wi-Fi *	✓
Maximum number of SMP processors	1	Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Supported processor sockets	LGA 1700	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 5 (802.11ac)
Memory		Bluetooth	✓
Supported memory types *	DDR4-SDRAM	Bluetooth version	5.0
Number of memory slots *	4	Features	
Memory slots type	DDR4	Motherboard chipset *	Intel B760 Express
Memory channels	Dual-channel	Audio chip	Realtek ALC897
ECC compatibility	ECC & Non-ECC	Audio output channels *	7.1 channels
Supported memory clock speeds (MHz)	2133, 2400, 2666, 2933, 3000, 3200, 3300, 3333, 3400, 3466, 3600, 3666, 3733, 3800, 3866, 4000, 4133, 4266, 4300, 4400, 4500, 4600, 4700, 4800, 4933, 5000, 5133, 5333	Product colour	Brown
Supported memory clock speed (max)	5333 MHz	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory *	64 GB	Component for *	PC
Unbuffered memory	✓	Motherboard form factor *	micro ATX
Storage controllers		Motherboard chipset family *	Intel
Supported storage drive types	HDD & SSD	Cooling type	Active
Supported storage drive interfaces *	M.2, SATA III	Power source type	ATX
Number of HDDs supported	4	Windows operating systems supported	Windows 10, Windows 11
Number of storage drives supported	6	Expansion slots	
RAID support	✓	PCI Express x16 (Gen 3.x) slots	1
RAID levels	0, 1, 5, 10	PCI Express x16 (Gen 4.x) slots	1
Graphics		Number of M.2 (M) slots	2
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		
Number of displays supported	3		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	1st M.2 largest key size	2280
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	1st M.2 highest PCI Express generation	4.0
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	2nd M.2 largest key size	2280
Number of SATA III connectors *	4	2nd M.2 highest PCI Express generation	4.0
Total number of SATA connectors	4	BIOS	
S/PDIF out connector	✓	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	256 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
CPU fan connector	✓	Clear CMOS button	✓
Number of chassis fan connectors	3	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
Thunderbolt headers	2	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 2.0 ports quantity *	2	Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
VGA (D-Sub) ports quantity *	1	Packaging data	
HDMI ports quantity *	1	Package width	270 mm
HDMI version	2.0	Package depth	268 mm
DisplayPorts quantity	1	Package height	68 mm
Headphone outputs	1	Package weight	1.15 kg
Line-in	✓	Weight & dimensions	
		Width	244 mm
		Depth	225 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Drivers included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331851477

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date