
## Samsung Galaxy Z Fold4 SM-F936B 19.3 cm (7.6") Tarjeta SIM sencilla Android 12 5G USB Tipo C 12 GB 256 GB 4400 mAh Negro

Marca : Samsung Familia de productos: Galaxy Código del producto: SM-

F936BZKAATS

Nombre del producto: SM-

F936B





Display		Network	
Display diagonal * Screen shape Display technology marketing name Panel type Display glass type Gorilla Glass version Display resolution * Display number of colours Maximum refresh rate High Dynamic Range (HDR)	OLED Gorilla Glass Gorilla Glass Victus+ 2176 x 1812 pixels 16 million colours 120 Hz	SIM card type * 3G standards * 4G standard * Wi-Fi Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct	NanoSIM + eSIM  UMTS  LTE-TDD & LTE-FDD  ✓  802.11a, 802.11b, 802.11g, Wi-Fi 4  (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)  ✓  5.2
supported High Dynamic Range (HDR) technology Pixel density	High Dynamic Range 10+ (HDR10 Plus) 374 ppi	MIMO Modulation Near Field Communication (NFC)	✓ 1024-QAM ✓
Second display Second display diagonal Second display resolution Second display type Second display pixel density Second display refresh rate	15.8 cm (6.2") 2316 x 904 pixels Dynamic AMOLED 2X 402 ppi 120 Hz	USB port USB connector type USB version Headphone connectivity	USB Type-C 3.2 Gen 1 (3.1 Gen 1) USB Type-C
Processor		Messaging	
Processor family * Processor model * Processor cores	Qualcomm Snapdragon 8+ Gen 1 8	Short Message Service (SMS)  Multimedia Messaging Service (MMS)  E-mail	* *
Processor boost frequency	3.18 GHz	Design	
Storage User memory RAM capacity * Internal storage capacity * Camera	216.3 GB 12 GB 256 GB	Form factor * Product colour * Colour name International Protection (IP) code Protection features	Clamshell Black Phantom Black IPX8 Water resistant
Rear camera resolution (numeric) *	50 MP	Performance	
Second rear camera resolution (numeric) Third rear camera resolution (numeric)	12 MP 10 MP	Video call Fast charging Wireless charging	* * *
Rear camera aperture number Second rear camera aperture number	1.8 2.2	Artificial Intelligence control Fingerprint reader	· •
Third rear camera aperture number Rear camera pixel size Second rear camera pixel size	2.4 1 μm 1.12 μm	Face recognition Speakerphone	*

	Navigation	
1 μm		<b>✓</b>
•		<i>y</i>
03		<i>y</i>
123°	Galileo	1
26°	Quasi-Zenith Satellite System	
	(QZSS)	<b>✓</b>
3x	Position location *	✓
	Multimedia	
10 MP	Speakers	stereo
4 MP	Audio system	Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF,
2.2	Audio formats supported	DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL,
1.8		RTX, WAV, XMF 3G2, 3GP, AVI, FLV, M4V, MKV, MP4,
1.22 μm	Video formats supported	WEBM
2 μm	Software	
85°	Platform *	Android
80°	Operating system installed *	Android 12
<b>/</b>	Battery	
LED	Removable battery	×
7680 x 4320 pixels		4400 mAh
960 fps		39 h 16 h
3840x2160@30fps, 3840x2160@60fps,	Browsing time (4G)	16 h
1280x720@30fps,	Wireless audio playback time	72 h
	wireless addio playback tillle	7 = 11
1200x720@30fps, 1920x1080@30fps, 1920x1080@60fps,	Wireless video playback time	20 h
1920x1080@30fps,		
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps	Wireless video playback time	
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p	Wireless video playback time Sensors	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates  Head SAR (EU)	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates  Head SAR (EU)  Body SAR (EU)	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates  Head SAR (EU)  Body SAR (EU)  Extremities SAR (EU)	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight * Folded width Folded depth Folded height  Certificates  Head SAR (EU)  Body SAR (EU)  Extremities SAR (EU)  Packaging content	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight *  Folded width  Folded depth  Folded height  Certificates  Head SAR (EU)  Body SAR (EU)  Extremities SAR (EU)  Packaging content  Quick start guide	20 h
1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera    Optical Image Stabilization (OIS)	Wireless video playback time  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Barometer  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Height  Weight * Folded width  Folded depth  Folded height  Certificates  Head SAR (EU)  Body SAR (EU)  Extremities SAR (EU)  Packaging content  Quick start guide  Cables included	20 h
8 1 3 3 3 D 1 4 2 1 1 2 8 V L 7 9 3	5° 23° 6° x 0x vual camera 0 MP MP .2 .8 .22 μm μm 5° 0° r ED 680 x 4320 pixels 60 fps 840x2160@30fps,	GPS (satellite)  5° GLONASS  BeiDou  23° Galileo  6° Quasi-Zenith Satellite System (QZSS)  x Position location *  Multimedia  0 MP Speakers  Audio system  MP  .2 Audio formats supported  .8  .22 μm Video formats supported  μm  Software  5° Platform *  Operating system installed *  Battery  ED Removable battery  Battery capacity *  Talk time (4G)  Browsing time (Wi-Fi)

