TP-Link RE500X extensor de red Transmisor y receptor de red Blanco 1000 Mbit/s

Marca : TP-Link

Código del producto: RE500X

Nombre del producto : RE500X

TP-Link RE500X. Tipo: Transmisor y receptor de red, Velocidad de transferencia de datos: 1200 Mbit/s, Ethernet LAN, velocidad de transferencia de datos: 1000 Mbit/s. Tipo de antena: Interno, Potencia de transmisión (CE): 2.4 GHz ≤20dBm, 5 GHz ≤30dBm. Tecnología de cableado: 10/100/1000Base-T(X), Estándares de red: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Estándares de Wi-Fi: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Color del producto: Blanco, Cantidad por paquete: 1 pieza(s). Voltaje de entrada AC: 100 - 240 V, Frecuencia de entrada AC: 50/60 Hz, Consumo de energía (máx.): 10 W

Performance

Type *	Network transmitter & receiver
Data transfer rate	1200 Mbit/s
Ethernet LAN data rates	1000 Mbit/s
WPS push button	✔
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Mac compatibility	✔
Mac operating systems supported	✔
Linux operating systems supported	✔
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0

Antenna

Antennas quantity	2
Antenna type	Internal
Transmitting power (CE)	2.4 GHz ≤20dBm, 5 GHz ≤30dBm

Network

Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Wi-Fi data rate (max)	1200 Mbit/s
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK

Design

Quantity per pack	1 pc(s)
Reset button	✔

Power

AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power consumption (max)	10 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	78 mm
Depth	36 mm
Height	149 mm

Packaging content

Quick start guide	✔

Packaging data

Package type	Box
Package width	202 mm
Package depth	125 mm
Package height	97 mm
Package weight	350 g

Certificates

Compliance certificates	CE, RoHS

Ports & interfaces		Logistics data	
Ethernet LAN (RJ-45) ports	1	Harmonized System (HS) code	85176990

Design	
Product colour	White
LED indicators	✔

6935364010324

4897098682869

6935364010317

0840030702242

840030702242