



EZVIZ H8c 2K Domo Cámara de seguridad IP Exterior 2304 x 1296 Píxeles Techo/pared

Marca : EZVIZ

Código del producto: CS-H8C-2K(4MM)


Nombre del producto : H8c 2K

EZVIZ H8c 2K. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Domo. Ángulo de visión del objetivo, horizontal: 89°, Ángulo de visión del objetivo, vertical: 46°, Ángulo de visión de la lente, diagonal: 104°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Distancia focal fija: 4 mm



Performance		Network	
Type *	IP security camera	Live view	✓
Placement supported *	Outdoor	Number of simultaneous live view channels	2 channels
Connectivity technology *	Wired & Wireless	Storage	
Infrared (IR) cut-off filter	✓	Built-in HDD *	✗
Design		Compatible memory cards	MicroSD (TransFlash)
Form factor *	Dome	Maximum memory card size	512 GB
Mounting type *	Ceiling/wall	Ports & interfaces	
Product colour *	White	Ethernet LAN (RJ-45) ports	1
Weatherproof	✓	DC-in jack	✓
Camera		Security	
Minimum illumination	0 lx	Password protection	✓
Lens viewing angle, horizontal	89°	Video motion detection	✓
Lens viewing angle, vertical	46°	Intelligent Video Surveillance (IVS) system features	Human detection
Lens viewing angle, diagonal	104°	Anti-flicker	✓
Tilt angle range	0 - 80°	Heartbeat	✓
Pan range	0 - 350°	Digital watermark	✓
Image sensor		Configurable region	✓
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Power	
Progressive scan	✓	Power source type *	DC
Sensor type *	CMOS	Power consumption (max)	12 W
Lens system		DC output voltage	5, 12
Number of lenses *	1	DC output current	1 A
Maximum aperture number	1.6	Operational conditions	
Fixed focal length	4 mm	Operating temperature (T-T)	-30 - 50 °C
Night vision			
Night vision *	✓		

Night vision		Operational conditions	
Night vision distance	30 m	Operating relative humidity (H-H)	0 - 95%
LED type	IR	Weight & dimensions	
Video		Width	100 mm
Maximum resolution *	2304 x 1296 pixels	Depth	129.2 mm
Video compression formats	H.264, H.265	Height	149.8 mm
Frame rate	30 fps	Weight	435 g
Noise reduction	✓	Packaging data	
Noise reduction technology	3D noise reduction	Package width	140 mm
Bit rate	3 Mbps	Package depth	140 mm
Digital Wide Dynamic Range (DWDR)	✓	Package height	192 mm
Audio		Package weight	745 g
Built-in speaker(s)	✓	Sustainability	
Audio system	2-way	Sustainability compliance	✓
Built-in microphone	✓	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA, WEEE
Network		Packaging content	
Ethernet LAN *	✓	Number of cameras *	1
Ethernet interface type	Fast Ethernet	Screws included	✓
Wi-Fi *	✓	Drilling template included	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Manual	✓
Wi-Fi data rate (max)	72 Mbit/s	AC adapter included	✓
Bluetooth *	✗	Waterproof connector	✓
Channel bandwidth	20 MHz	Technical details	
		Lens mount interface	M12



6941545614489

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date