

## EZVIZ H8 PRO 2K cámara de vigilancia Esférico Cámara de seguridad IP Exterior 2304 x 1296 Pixeles Pared

Marca : EZVIZ Código del producto: H8 PRO 2K

Nombre del producto : H8 PRO 2K

EZVIZ H8 PRO 2K. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Pared, Color del producto: Blanco, Factor de forma: Esférico. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Intervalo de longitud focal: 4 mm. Distancia de visión nocturna: 30 m





| Performance   |   | Network  |   |
|---|---|--|---|
| Type * Placement supported * Connectivity technology * Infrared (IR) cut-off filter Certification | IP security camera Outdoor Wired & Wireless  ✓ UL / FCC / CE / WEEE / RoHS / UKCA | Ethernet LAN * Ethernet interface type Wi-Fi * Wi-Fi standards | ✓ Fast Ethernet ✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Design  | OL / TCC / CL / WELL / NOTIS / OKCA   | Storage  |   |
| Form factor * Mounting type * Product colour *  | Spherical<br>Wall<br>White  | Built-in HDD * Card reader integrated Compatible memory cards  | ×  ✓ MicroSD (TransFlash)                             |
| Camera  |   | Ports & interfaces   |   |
| Camera pan control Camera tilt control  | <b>v</b>  | Ethernet LAN (RJ-45) ports  Security                           | 1   |
| Minimum illumination  | 0 lx  | Password protection Security algorithms                        | ✓<br>WPA-PSK, WPA2-PSK                                |
| Image sensor  |   | Anti-flicker   | WPA-PSN, WPAZ-PSN                                     |
| Optical sensor size<br>Progressive scan   | 25.4 / 2.7 mm (1 / 2.7")  | Power  |   |
| Sensor type *   | CMOS  | Power source type * Power consumption (max)                    | DC<br>6 W   |
| Lens system   |   |  | O VV  |
| Focal length range  | 4 mm  | Weight & dimensions Width                                      | 116 mm  |
| Night vision  |   | Depth  | 116 mm<br>153.2 mm                                    |
| Night vision *<br>Night vision distance   | <b>√</b><br>30 m  | Height<br>Weight   | 163.8 mm<br>592 g                                     |
| Video   |   | Packaging data   |   |
| Maximum resolution *  | 2304 x 1296 pixels  | Package width  | 187 mm  |

| Video                      |                    | Packaging data      |          |  |
|----------------------------|--------------------|---------------------|----------|--|
| Frame rate                 | 30 fps             | Package depth       | 174 mm   |  |
| Video streaming            | ✓                  | Package height      | 186.5 mm |  |
| Noise reduction            | ✓                  | Package weight      | 943 g    |  |
| Noise reduction technology | 3D noise reduction | Packaging content   |          |  |
| Bit rate                   | 2 Mbps             | Number of cameras * | 1        |  |

