## TCL 30 30SE 16.6 cm (6.52") SIM dual Android 12 4G USB Tipo C 4 GB 64 GB 5000 mAh Gris

Marca : TCL Familia de productos: 30 Código del producto: 6165H-2ALCWE12

Nombre del producto: 30SE

TCL 30 30SE. Diagonal de la pantalla: 16.6 cm (6.52"), Resolución de la pantalla: 720 x 1600 Pixeles. Familia de procesador: MediaTek, Modelo del procesador: Helio G25. Capacidad de RAM: 4 GB, Tipo de RAM: LPDDR4X, Capacidad de almacenamiento interno: 64 GB. Resolución de la cámara trasera (numérica): 50 MP, Tipo de cámara trasera: Triple cámara. Capacidad de la tarjeta SIM: SIM dual. Sistema operativo instalado: Android 12. Capacidad de batería: 5000 mAh. Color del producto: Gris. Peso: 190 g





Display		Network	
Display diagonal * Screen shape Panel type Display resolution * Native aspect ratio Contrast ratio (typical) Maximum refresh rate Display brightness Touchscreen type Pixel density Rounded display corners	16.6 cm (6.52") Flat IPS 720 x 1600 pixels 20:9 1000:1 60 Hz 450 cd/m² Capacitive 269 ppi ✓	SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * Voice over LTE (VoLTE) supported Wi-Fi Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct	Dual SIM 4G NanoSIM HSPA+ LTE   802.11b, 802.11g, Wi-Fi 4 (802.11n)  5.0
Processor		Near Field Communication (NFC)	<b>v</b>
Processor family * Processor model * Processor architecture	rocessor model * Helio G25	Subscription Subscription type *	No subscription
Processor cores	8	Ports & interfaces	
Processor boost frequency	2 GHz	USB port	✓
Storage User memory RAM capacity *	44.97 GB 4 GB	USB connector type USB version Headphone connectivity	USB Type-C 2.0 3.5 mm
RAM type	LPDDR4X	Messaging	
Internal storage capacity * Compatible memory cards * Maximum memory card size USB mass storage	ntible memory cards * MicroSD (TransFlash) um memory card size 512 GB	Short Message Service (SMS) Multimedia Messaging Service (MMS) E-mail	* *
Camera		Design	
Rear camera sensor size	1/2.76"	Form factor *	Bar

_			
Camera		Design	
Second rear camera sensor size	1/5"	Product colour *	Grey
Third rear camera sensor size	1/5"	Colour name	Space Grey
Rear camera resolution (numeric) *	50 MP	International Protection (IP) code	IPX2
Macro camera resolution (numeric)	2 MP	Performance	
Depth camera resolution (numeric)	2 MP	Video call	1
Rear camera aperture number	1.85		
Second rear camera aperture	2.4	Fast charging	INC CE0330
number Third rear camera aporture number	2.4	Graphics card	IMG GE8320
Third rear camera aperture number Rear camera pixel size		Fingerprint reader	1
Second rear camera pixel size	0.64 μm 1.65 μm	Face recognition	1
Third rear camera pixel size	1.75 μm	Speakerphone	✓
Rear camera field of view (FOV)	·	USB On-The-Go support	✓
angle	74.4°	Vibrating alert	✓
Second rear camera field of view (FOV) angle	86.6°	Navigation	
Third rear camera field of view (FOV) angle	88.8°	GPS (satellite) GLONASS	✓ ✓
Rear camera lens elements	5-element lens	BeiDou	/
Second rear camera lens elements	3-element lens		•
Third rear camera lens elements	3-element lens	Galileo	<b>V</b>
Front camera type *	Single camera	Electronic compass	1
Front camera sensor size	1/4"	Position location *	✓
Front camera resolution (numeric) *	8 MP	Wi-Fi positioning	1
Front camera aperture number	2	Multimedia	
Front camera pixel size	1.12 μm	Speakers	Mono
Front camera field of view (FOV) angle	80.6°	Audio formats supported	AAC, AAC+, AMR, APE, AWB, FLAC, MP3, PCM, Vorbis, eAAC+
Rear camera flash * Flash type	✓ LED	Video formats supported	AVC, H.263, H.264, HEVC/H.265, MPEG4, VP8, VP9
Video capture resolution (max)	1920 x 1080 pixels	Software	201, 110, 113
Maximum frame rate	30 fps	Platform *	Android
Resolution at capture speed	1920x1080@30fps 1080p	Operating system installed *	Android 12
Video recording modes Rear camera type *	Triple camera	App distribution platform	Google Play
Face detection	rripie carriera ✓	Battery	-
		•	2126
Night mode Panorama	<i>y</i>	Battery recharge time Battery capacity *	3.12 h 5000 mAh
Al scene recognition	✓	Sensors	
-		Proximity sensor	<b>✓</b>
		Accelerometer	
			•
		Ambient light sensor	•
		Weight & dimensions	
		Width	75.5 mm
		Depth	8.9 mm
		Height	165.2 mm
		Weight *	190 g
		Certificates	
		Certification	SVHC-XVII-17, UL94
		Compliance certificates	REACH, RoHS, WEEE
		Packaging content	
		AC adapter included *	•
		Quick start guide	1
		Screen protector	✓
		Cables included	USB Type-C
		SIM card ejector pin	✓



4894461921273

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.