
ASUS RT-AX88U Pro router inalámbrico Multi-Gigabit Ethernet Doble banda (2,4 GHz / 5 GHz) Negro

Marca : ASUS Código del producto: RT-AX88U PRO

Nombre del producto: RT-AX88U Pro







WAN connection		Management features	
Ethernet WAN * DSL WAN *	×	WPS push button MU-MIMO technology	<i>y</i>
SIM card slot * 3G/4G USB modem compatibility *	×	Security	
Wireless LAN features Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Security algorithms Firewall	SSH, WPA, WPA2, WPA2-Enterprise, WPS ✓
Top Wi-Fi standard * WLAN data transfer rate (max) *	Wi-Fi 6 (802.11ax) 4804 Mbit/s	Guest access Parental control	*
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	MAC address filtering MAC address table System event log	64 entries
Modulation Network	1024-QAM	DMZ support	✓ PPTP, L2TP, IPSec, RTSP, H.323, SIP
Ethernet LAN * Ethernet LAN interface type *	✓ Multi-Gigabit Ethernet	NAT functionality	Passthrough, PPPoE relay
Ethernet LAN interface type Ethernet LAN data rates Cabling technology	10,100,1000,2500 Mbit/s 10/100/1000Base-T(X)	Protocols DHCP server	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Design Product colour	Black
Port forwarding	✓	LED indicators On/off switch	LAN, Power, USB, WAN, WLAN, WPS
Port triggering Dynamic DNS (DDNS)	✓	Product type * Antenna	Tabletop router
VPN support	- VPN Client L2TP - VPN Client OVPN - VPN Client PPTP - VPN Client WireGuard - VPN Server IPSec - VPN Server OVPN - VPN Server PPTP - VPN Server WireGuard - VPN Fusion	Antenna design * Antennas quantity	External 4
	vriv Server WireGuaru - vriv Fusion	Features	

Ports & interfaces		Features	
Ethernet LAN (RJ-45) ports *	5	Built-in processor	✓
USB port *	✓	Processor frequency	2000 MHz
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Processor cores Internal memory	4 1024 MB
DC-in jack	✓	Flash memory	256 MB
Management features		Works with Amazon Alexa	✓
Bandwidth control	✓	Power	
Quality of Service (QoS) support	1	Power source type *	AC
	•	Tower Source type	710
Wake-on-LAN ready	· ·	AC input voltage	110 - 240 V
Wake-on-LAN ready Reset button	· · · · · · · · · · · · · · · · · · ·	· ·	
•	*	AC input voltage	110 - 240 V
•	✓	AC input voltage AC input frequency	110 - 240 V 50 - 60 Hz
•	*	AC input voltage AC input frequency Output voltage	110 - 240 V 50 - 60 Hz 19 V





195553911054

0195553911054



4711081911111

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.