



Lenovo ThinkPad L15 AMD Ryzen™ 7 PRO 5875U Computadora portátil 39.6 cm (15.6") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Negro

Marca : Lenovo

Familia de productos:
ThinkPad

Código del producto:
21C8S0HT00

Nombre del producto : L15



Lenovo ThinkPad L15. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: AMD Ryzen™ 7 PRO, Modelo del procesador: 5875U, Frecuencia del procesador: 2 GHz. Diagonal de la pantalla: 39.6 cm (15.6"), Tipo HD: Full HD, Resolución de la pantalla: 1920 x 1080 Píxeles. Memoria interna: 16 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: AMD Radeon Graphics. Sistema operativo instalado: Windows 11 Pro. Color del producto: Negro



Design		Network	
Colour name	Thunder Black	Antenna type	2x2
Product type *	Laptop	WLAN controller model	AMD RZ616
Product colour *	Black	WLAN controller manufacturer	AMD
Form factor *	Clamshell	Ethernet LAN	✓
Housing material	Polycarbonate (PC), Acrylonitrile butadiene styrene (ABS)	Ethernet LAN data rates	1000,100 Mbit/s
Display		Bluetooth	✓
Display diagonal *	39.6 cm (15.6")	Bluetooth version	5.1
Display resolution *	1920 x 1080 pixels	WWAN	Not installed
Touchscreen *	✗	Ports & interfaces	
HD type	Full HD	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Panel type	IPS	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
LED backlight	✓	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Native aspect ratio	16:9	Ethernet LAN (RJ-45) ports	1
Anti-glare screen	✓	HDMI ports quantity *	1
Display brightness	250 cd/m²	Combo headphone/mic port	✓
RGB colour space	NTSC	USB Type-C DisplayPort Alternate Mode	✓
Colour gamut	45%	USB Sleep-and-Charge	✓
Contrast ratio (typical)	800:1	USB Sleep-and-Charge ports	1
Processor		Performance	
Processor manufacturer *	AMD	Motherboard chipset	AMD SoC
Processor family *	AMD Ryzen™ 7 PRO	Keyboard	
Processor generation	AMD Ryzen PRO 5000 Series	Pointing device	ThinkPad UltraNav
Processor model *	5875U	Numeric keypad *	✓
Processor cores	8	Keyboard backlit	✓
Processor boost frequency	4.5 GHz		
Processor frequency *	2 GHz		
Processor cache type	L3		

Memory		Keyboard	
Internal memory *	16 GB	Spill-resistant keyboard	✓
Internal memory type	DDR4-SDRAM	Keyboard language	Spanish
Memory clock speed	3200 MHz	Software	
Memory form factor	SO-DIMM	Operating system architecture	64-bit
Memory layout (slots x size)	1 x 16 GB	Operating system language	Spanish
Memory slots	2x SO-DIMM	Recovery operating system	Windows 10 Pro
Maximum internal memory *	64 GB	Operating system installed *	Windows 11 Pro
Memory channels	Dual-channel	Battery	
Storage		Battery technology	Lithium Polymer (LiPo)
Total storage capacity *	512 GB	Battery capacity *	57 Wh
Storage media *	SSD	Fast charging	✓
Total SSDs capacity	512 GB	Power	
Number of SSDs installed	1	AC adapter power	65 W
SSD capacity	512 GB	AC adapter frequency	50 - 60 Hz
SSD memory type	TLC	AC adapter input voltage	100 - 240 V
SSD interface	PCI Express 4.0	USB Power Delivery (USB PD)	✓
NVMe	✓	Security	
SSD form factor	M.2	Cable lock slot	✓
Optical drive type *	✗	Cable lock slot type	Kensington
Card reader integrated	✓	Fingerprint reader	✓
Compatible memory cards	MicroSD (TransFlash)	Smart card reader	✗
Graphics		Windows Hello	✓
Discrete graphics card model *	Not available	Trusted Platform Module (TPM)	✓
On-board graphics card *	✓	Trusted Platform Module (TPM) version	2.0
On-board GPU manufacturer	AMD	Password protection	✓
Discrete graphics card *	✗	Password protection type	BIOS, Power on, Supervisor, SSD
On-board graphics card model *	AMD Radeon Graphics	Operational conditions	
Audio		Operating temperature (T-T)	5 - 35 °C
Audio chip	Realtek ALC3287	Storage temperature (T-T)	5 - 43 °C
Audio system	Dolby Audio	Operating relative humidity (H-H)	8 - 95%
Number of built-in speakers	2	Storage relative humidity (H-H)	5 - 95%
Speaker power	2 W	Maximum shipping altitude	3048 m
Built-in microphone	✓	Certificates	
Number of microphones	2	Certification	EPEAT™ Gold ENERGY STAR® 8.0 ErP Lot 3 TCO Certified RoHS MIL-STD-810H
Camera		Weight & dimensions	
Front camera	✓	Width	360.2 mm
Front camera resolution	1920 x 1080 pixels	Depth	237 mm
Front camera HD type	Full HD	Height	19.9 mm
Infrared (IR) camera	✓	Weight *	1.76 kg
Privacy camera	✓		
Privacy type	Privacy shutter		
Network			
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)		
Wi-Fi standards	Wi-Fi 6E (802.11ax)		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date