

Hikvision Digital Technology DS-7608NI-M2/8P grabadora de vídeo en red (NVR) 1U Negro

Marca : Hikvision Digital Technology

Código del producto: DS-7608NI-M2/8P

Nombre del producto : DS-7608NI-M2/8P



8-ch 1U 8 PoE 8K NVR, 128/256Mbps, HDMI/VGA, RCA, BNC, 2x SATA, RJ-45, USB, 12 VDC, 385 x 315 x 52 mm, 3 kg

Hikvision Digital Technology DS-7608NI-M2/8P grabadora de vídeo en red (NVR) 1U Negro:

La Serie Ultra está diseñada para proyectos extensos que requieren una gran cantidad de cámaras, así como una instalación montada en bastidor para NVR de fondo. El códec de compresión H.265 + optimizado proporciona ancho de banda y uso de almacenamiento de máxima eficiencia.

Desempeño		Puertos e Interfaces	
Canales de entrada de vídeo *	8 canales	Número de puertos HDMI	1
Canales de entrada de alarma	4	Puertos de salida VGA (D-Sub)	1
Canales de salida de alarma	1	Cantidad de puertos USB 2.0	1
Número de canales reproducidos simultáneamente	8 canales	Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	1
Máxima resolución *	7680 x 4320 Píxeles	Entradas RCA de sonido	1
	8K (7680 x 4320)/30Hz, 4K (3840 x 2160)/60Hz, 4K (3840 x 2160)/30Hz, 2K (2560 x 1440)/60Hz, 1920 x 1080/60Hz, 1600 x 1200/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60	Salidas RCA de sonido	1
Resoluciones soportadas		Protocolos de red compatibles	TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, NFS, iSCSI, ISUP, UPnP, HTTP, HTTPS
Formatos de audio soportados	G.711 A-law, G.711 µ-law, G.722, G.726	Características	
Formatos de vídeo compatibles	H.264, H.264+, H.265, H.265+, MPEG4	Capacidad del rack	1U
Ancho de banda de entrada	128 Mbit/s	Compatibilidad de marca	Hikvision Digital Technology
Ancho de banda de salida	256 Mbit/s	Interruptor de encendido/apagado integrado	✓
Sistema de audio	De 2 vías	Color del producto	Negro
Características de LAN inalámbrico		Control de energía	
Wifi *	✗	Consumo energético	15 W
Medios de almacenaje		Corriente de salida	3.33 A
Número de HDDs soportados	2	Voltaje de salida	12 V
Capacidad máxima de almacenaje *	14 TB	Potencia a través de Ethernet (PoE) Presupuesto	120 W
Interfaz del HDD *	SATA, SATA II, SATA III	Condiciones ambientales	
Puertos e Interfaces		Intervalo de temperatura operativa (T-T)	-10 - 55 °C
Puertos Ethernet LAN (RJ-45) *	9	Intervalo de humedad relativa para funcionamiento	10 - 90%
Energía sobre Ethernet (PoE)	✓	Peso y dimensiones	
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s	Ancho	385 mm
Cantidad de puertos Power over Ethernet (PoE)	8	Profundidad	315 mm
Salida de vídeo BNC	✓	Altura	52 mm
Salida HDMI	✓	Peso	3 kg



0842571145519



842571145519

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAR-2023. Prints or copies of Information are only valid on the printed Publication date