

GIGABYTE B550M K placa base AMD B550 Enchufe AM4 Micro ATX

Marca : GIGABYTE


Código del producto: B550M K

Nombre del producto : B550M K Placa base - Procesadores AMD Ryzen 5000, hasta 4733 MHz DDR4, 1xPCIe 4.0 + 1xPCIe 3.0 M.2, LAN 1GbE, USB 3.2 Gen 1

B550M K Placa base - Procesadores AMD Ryzen 5000, hasta 4733 MHz DDR4, 1xPCIe 4.0 + 1xPCIe 3.0 M.2, LAN 1GbE, USB 3.2 Gen 1

GIGABYTE B550M K placa base AMD B550 Enchufe AM4 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



| Processor | | Network | |
|--|---|--|--------------------------------|
| Processor manufacturer * | AMD | Ethernet LAN | ✓ |
| Processor socket * | Socket AM4 | Ethernet interface type | Gigabit Ethernet |
| Compatible processor series * | AMD Ryzen 3000 Series, AMD Ryzen 4000 Series, AMD Ryzen 5000 Series | LAN controller | Realtek RTL8111H |
| | | Wi-Fi * | ✗ |
| Supported processor sockets | Socket AM4 | Features | |
| Memory | | Motherboard chipset * | AMD B550 |
| Supported memory types * | DDR4-SDRAM | Audio chip | Realtek ALC897 |
| Number of memory slots * | 4 | Audio output channels * | 7.1 channels |
| Memory slots type | DIMM | Product colour | Brown |
| Memory channels | Dodeca-channel | PC health monitoring | Fan, Temperature, Voltage |
| ECC compatibility | ECC & Non-ECC | Component for * | PC |
| Supported memory clock speeds | 4733,4600,4400,4266,4133,4000,3866,3733,3600,3466,3400,3200,2933,2667,2400,2133 MHz | Motherboard form factor * | micro ATX |
| Supported memory clock speed (max) | 4733 MHz | Motherboard chipset family * | AMD |
| Maximum internal memory * | 128 GB | Cooling type | Passive |
| Unbuffered memory | ✓ | Power source type | ATX |
| Maximum internal memory per slot | 32 GB | Windows operating systems supported | Windows 10 x64, Windows 11 x64 |
| Storage controllers | | Expansion slots | |
| Supported storage drive types | HDD & SSD | PCI Express x1 (Gen 3.x) slots | 1 |
| Supported storage drive interfaces * | M.2, SATA | PCI Express x16 (Gen 4.x) slots | 1 |
| Number of HDDs supported | 2 | Number of M.2 (M) slots | 2 |
| Number of storage drives supported | 6 | 1st M.2 largest key size | 2280 |
| RAID support | ✓ | 1st M.2 highest PCI Express generation | 4.0 |
| RAID levels | 0, 1, 10 | 2nd M.2 largest key size | 2280 |
| Graphics | Not supported | 2nd M.2 highest PCI Express generation | 3.0 |
| | | | |
| | | | |
| | | | |
| Parallel processing technology support * | Not supported | | |
| Maximum resolution | 5120 x 2880 pixels | | |
| HDCP | ✓ | | |
| DirectX version | 12.0 | | |


| Internal I/O | | BIOS | |
|---|-----|--|---|
| USB 2.0 connectors * | 1 | BIOS type * | UEFI AMI |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | BIOS memory size | 128 Mbit |
| Number of SATA III connectors * | 4 | ACPI version | 5.0 |
| Front panel audio connector | ✓ | Clear CMOS jumper | ✓ |
| Front panel connector | ✓ | Desktop Management Interface (DMI) version | 2.7 |
| ATX Power connector (24-pin) | ✓ | System Management BIOS (SMBIOS) version | 2.7 |
| CPU fan connector | ✓ | Logistics data | |
| Number of CPU fan connectors | 1 | Country of origin | China |
| Number of chassis fan connectors | 1 | Products per shipping (inner) case | 1 pc(s) |
| EPS power connector (8-pin) | ✓ | Battery | |
| Number of EPS power connectors (8-pin) | 1 | Battery weight | 3 g |
| TPM connector | ✓ | Lithium weight per battery | 0.07 g |
| 12V power connector | ✓ | Number of battery cells | 1 |
| Rear panel I/O ports | | Battery technology | Lithium-Manganese Dioxide (LiMnO2) |
| USB 2.0 ports quantity * | 4 | Battery type | CR2032 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 | Packaging data | |
| Ethernet LAN (RJ-45) ports * | 1 | Package width | 265 mm |
| PS/2 ports quantity | 1 | Package depth | 265 mm |
| HDMI ports quantity * | 1 | Package height | 54 mm |
| HDMI version | 2.1 | Package weight | 837 g |
| DisplayPorts quantity | 1 | Weight & dimensions | |
| DisplayPort version | 1.4 | Width | 244 mm |
| Headphone outputs | 1 | Depth | 244 mm |
| Line-in | ✓ | Height | 35 mm |
| Microphone in | ✓ | Packaging content | |
| | | Batteries included | ✓ |
| | | Screws included | ✓ |
| | | Bundled software | Norton® Internet Security (OEM version) LAN bandwidth management software |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



4719331852764



0889523036006



889523036006

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date