



## TP-Link Archer C50 router inalámbrico Ethernet rápido Doble banda (2,4 GHz / 5 GHz) Negro

**Marca :** TP-Link

**Código del producto:** ARCHER C50

**Nombre del producto :** Archer C50

TP-Link Archer C50. Tipo de conexión WAN: RJ-45. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Máximo estándar Wi-Fi: Wi-Fi 5 (802.11ac), Tasa de transferencia de datos WLAN (máx.): 867 Mbit/s. Tipo de interfaz Ethernet LAN: Ethernet rápido, Ethernet LAN, velocidad de transferencia de datos: 10,100 Mbit/s, Soporte VPN: PPTP, L2TP, IPSec. Algoritmos de seguridad: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Tipo de producto: Router de mesa, Color del producto: Negro



WAN connection		Security	
Ethernet WAN *	✓	IP address filtering	✓
DSL WAN *	✗	DMZ support	✓
SIM card slot *	✗	Protocols	
3G/4G USB modem compatibility *	✗	DHCP client	✓
WAN connection type	RJ-45	DHCP server	✓
Wireless LAN features		Universal Plug and Play (UPnP)	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Design	
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Product colour	Black
WLAN data transfer rate (max) *	867 Mbit/s	On/off switch	✓
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Product type *	Tabletop router
WLAN data transfer rate (first band)	300 Mbit/s	Packaging content	
WLAN data transfer rate (second band)	867 Mbit/s	Cables included	LAN (RJ-45)
Network		AC adapter included	✓
Ethernet LAN *	✓	Quick start guide	✓
Ethernet LAN interface type *	Fast Ethernet	Antenna	
Ethernet LAN data rates	10,100 Mbit/s	Antenna design *	External
Port forwarding	✓	Antennas quantity	2
VPN support	PPTP, L2TP, IPSec	Features	
Receiver sensitivity	5GHz: 11a 54M: -77dBm 11ac VHT20 MCS8: -70dBm 11ac VHT40 MCS9: -66dBm 11ac VHT80 MCS9: -62dBm 2.4GHz: 11g 5.5M: -94dBm 11g 54M: -78dBm 11n HT20 MCS7: -75dBm 11n HT40 MCS7: -72dBm	Built-in processor	✓
		Processor cores	1
Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	4	Power source type *	AC
		Output voltage	9 V
		Output current	0.85 A

Ports & interfaces		Operational conditions	
USB port *	✓	Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity	1	Storage temperature (T-T)	-40 - 70 °C
Management features		Operating relative humidity (H-H)	10 - 90%
Quality of Service (QoS) support	✓	Storage relative humidity (H-H)	5 - 90%
Reset button	✓	Weight & dimensions	
WPS push button	✓	Width	182.9 mm
Security		Depth	123.5 mm
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Height	32.1 mm
Firewall	✓	Packaging data	
Stateful Packet Inspection (SPI)	✓	Package width	290 mm
DoS attack prevention	✓	Package depth	240 mm
Filtering	✓	Package height	76 mm
MAC address filtering	✓	Package weight	670 g
		Logistics data	
		Harmonized System (HS) code	85176990



0845973091675



845973091675



6935364091682



6935364081065

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.