

DELL Latitude 5410 Intel® Core™ i5 i5-10310U Computadora portátil 35.6 cm (14") Full HD 8 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 10 Pro Gris

Marca: DELL Familia de productos: Código del producto: Latitude

5410-8886

Nombre del producto: 5410

DELL Latitude 5410. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel® Core™ i5, Modelo del procesador: i5-10310U, Frecuencia del procesador: 1.7 GHz. Diagonal de la pantalla: 35.6 cm (14"), Tipo HD: Full HD, Resolución de la pantalla: 1920 x 1080 Pixeles. Memoria interna: 8 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel® UHD Graphics. Sistema operativo instalado: Windows 10 Pro. Color del producto: Gris





Design		Ports & interfaces	
Product type * Product colour *	Laptop Grey	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
Form factor *	Clamshell	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Market positioning	Business	Ethernet LAN (RJ-45) ports	1
Display		HDMI ports quantity *	1
Display diagonal *	35.6 cm (14")	HDMI version	1.4b
Display resolution *	1920 x 1080 pixels	Combo headphone/mic port	✓
Touchscreen * HD type	X Full HD	USB Type-C DisplayPort Alternate Mode	✓
LED backlight	1	PowerShare	✓
Native aspect ratio	16:9	Number of USB ports with PowerShare support	1
Anti-glare screen ✓	220 cd/m ²	Keyboard	
Display brightness Pixel density	157 ppi	Pointing device	DualPoint
Maximum refresh rate	137 ррі 60 Hz	Numeric keypad *	×
	00112	Keyboard backlit	<i>'</i>
Processor		,	•
Processor manufacturer *	Intel	Software	
Processor family *	Intel® Core™ i5	Operating system architecture	64-bit
Processor generation	10th gen Intel® Core™ i5	Operating system installed *	Windows 10 Pro
Processor model *	i5-10310U 4	Processor special features	
Processor cores Processor boost frequency	4.4 GHz	Enhanced Intel SpeedStep Technology	✓
Processor frequency *	1.7 GHz	Intel Clear Video Technology	✓
Processor cache	6 MB	Intel Flex Memory Access	✓
Processor cache type	Smart Cache	Intel Trusted Execution Technology	/
Configurable TDP-up frequency	2.2 GHz	Intel VT-x with Extended Page	
Configurable TDP-up Configurable TDP-down	25 W 10 W	Tables (EPT)	✓

.			
Processor		Processor special features	
Configurable TDP-down frequency	0.8 GHz	Intel Stable Image Platform Program (SIPP)	✓
Memory Internal memory *	8 GB	Intel Software Guard Extensions (Intel SGX)	/
Internal memory type	DDR4-SDRAM	Intel 64	1
Memory form factor	SO-DIMM	Idle States	✓
Memory layout (slots x size)	1 x 8 GB	CPU configuration (max)	1
Memory slots	2x SO-DIMM	Embedded options available	×
Maximum internal memory *	32 GB	Intel Virtualization Technology for	
Storage		Directed I/O (VT-d)	/
Total storage capacity * Storage media *	512 GB SSD	Intel Virtualization Technology (VT-x)	✓
Total SSDs capacity	512 GB	Battery	
Number of SSDs installed	1	Number of battery cells	4
SSD capacity	512 GB	Battery capacity *	68 Wh
SSD interface	NVMe, PCI Express	Battery voltage	7.6 V
NVMe	✓	Battery life (max)	4 h
SSD form factor	M.2	Battery weight	340 g
Optical drive type *	X	Power	3
			65.14
Card reader integrated	Minus CD (Transafficials), Minus CDUC	AC adapter power	65 W
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	AC adapter frequency	50/60 Hz
C. a. Alta.		AC adapter input voltage	100 - 240 V
Graphics		AC adapter output current AC adapter output voltage	4.62 A 19.5 V
Discrete graphics card model *	Not available	USB Type-C charging port *	19.5 V ✓
On-board graphics card *	✓	OSB Type-C charging port	•
Discrete graphics card *	×	Security	
Discrete graphics card * On-board graphics card model *	X Intel® UHD Graphics	Security Cable lock slot	✓
• •		•	<i>* *</i>
On-board graphics card model *		Cable lock slot	
On-board graphics card model * Audio	Intel® UHD Graphics	Cable lock slot Password protection Operational conditions	
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers	Intel® UHD Graphics Realtek ALC3204	Cable lock slot Password protection Operational conditions Operating temperature (T-T)	/
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T)	√ 0 - 35 °C
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2	Cable lock slot Password protection Operational conditions Operating temperature (T-T)	0 - 35 °C -40 - 65 °C
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 35 °C -40 - 65 °C 10 - 80%
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95%
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera resolution (numeric)	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric)	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera HD type	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Network	Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard *	Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax)	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection *	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards	Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) X 2x2	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model Ethernet LAN	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) x 2x2 Intel Wi-Fi 6 AX200 ✓	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm 1.47 kg
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model Ethernet LAN Ethernet LAN data rates	Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) x 2x2 Intel Wi-Fi 6 AX200 ✓ 10,100,1000 Mbit/s	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm 1.47 kg
On-board graphics card model * Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model Ethernet LAN	Intel® UHD Graphics Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W ✓ 2 MP 1280 x 720 pixels HD 30 fps Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) x 2x2 Intel Wi-Fi 6 AX200 ✓	Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 323.1 mm 216 mm 2.03 cm 2.12 cm 1.47 kg

