



DELL E Series E2424HS LED display 60.5 cm (23.8") 1920 x 1080 Píxeles Full HD LCD Negro

Marca : DELL

Familia de productos: E Series

Código del producto: E2424HS

Nombre del producto :
E2424HS

- 60.47cm (23.8") Full HD 1920 x 1080 LED VA
- 8ms, 16:9, 3000:1
- VGA, HDMI, DisplayPort
60.47cm (23.8") Full HD 1920 x 1080 LED VA, 16:9, 16.7M, 8ms, 178°/178°, 3000:1


DELL E Series E2424HS LED display 60.5 cm (23.8") 1920 x 1080 Píxeles Full HD LCD Negro:

Obtenga un valor excepcional con este monitor FHD de 23,8" que cuenta con un nuevo bisel estrecho de tres lados y una base de altura ajustable con puertos DP, HDMI y VGA.
DELL E Series E2424HS. Diagonal de la pantalla: 60.5 cm (23.8"), Resolución de la pantalla: 1920 x 1080 Píxeles, Tipo HD: Full HD, Tecnología de visualización: LCD, Tiempo de respuesta: 8 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Altavoces incorporados. montaje VESA, Ajustes de altura. Color del producto: Negro



Display		Power	
Display diagonal *	60.5 cm (23.8")	Energy efficiency class (SDR) *	D
Display resolution *	1920 x 1080 pixels	Energy consumption (SDR) per 1000 hours *	14 kWh
HD type *	Full HD	Power consumption (typical) *	16 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.3 W
Display technology *	LCD	Power consumption (max)	28 W
Panel type *	VA	Power consumption (off)	0.3 W
Backlight type	LED	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Display brightness (peak)	250 cd/m²	Input current	1.5 A
Response time *	8 ms	Energy efficiency scale	A to G
Anti-glare screen	✓	European Product Registry for Energy Labelling (EPREL) code	1294066
Screen shape *	Flat	Operational conditions	
Contrast ratio (typical) *	3000:1	Operating temperature (T-T)	0 - 40 °C
Maximum refresh rate *	60 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewing angle, horizontal	178°	Operating relative humidity (H-H)	10 - 80%
Viewing angle, vertical	178°	Storage relative humidity (H-H)	5 - 90%
Display number of colours *	16.7 million colours	Operating altitude	0 - 5000 m
Response time (fast)	5 ms	Non-operating altitude	5000 - 12192 m
Pixel pitch	0.2745 x 0.2745 mm	Weight & dimensions	
Pixel density	93 ppi	Width (with stand)	538.6 mm
Viewable size, horizontal	52.7 cm	Depth (with stand)	209.5 mm
Viewable size, vertical	29.6 cm	Height (with stand)	512.1 mm
Digital horizontal frequency	30 - 83 kHz	Weight (with stand)	4.06 kg
Digital vertical frequency	50 - 75 Hz	Width (without stand)	538.6 mm
Display diagonal (metric)	60.47 cm	Depth (without stand)	48.9 mm
Colour gamut standard	NTSC	Height (without stand)	324.2 mm
Colour gamut	83%	Weight (without stand)	2.82 kg

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Bezel width (side)	5.8 mm
AMD FreeSync *	✗	Bezel width (top)	5.8 mm
		Bezel width (bottom)	2.19 cm
Multimedia		Packaging data	
Number of speakers	2	Package weight	5.96 kg
RMS rated power	2 W	Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	AC, HDMI
		Quick start guide	✓
Design		Sustainability	
Market positioning *	Office	Sustainability certificates	ENERGY STAR, TCO
Product colour *	Black	Doesn't contain	PVC/BFR
Front bezel colour	Black	Carbon footprint	
Detachable stand	✓	Total carbon footprint (kg of CO2e)	466
Feet colour	Black	Total carbon emissions, standard deviation (kg of CO2e)	131
Ports & interfaces		Carbon emissions, manufacturing (kg of CO2e)	299
Built-in USB hub *	✗	Carbon emissions, logistics (kg of CO2e)	27
VGA (D-Sub) ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	136
HDMI *	✓	Carbon emissions, end-of-life (kg of CO2e)	3
HDMI ports quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	330
DisplayPorts quantity	1	PAIA version	1.3.2
DisplayPort version	1.2	Other features	
Headphone out *	✗	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
Ergonomics			
VESA mounting *	✓		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Adjustable height (max)	13 cm		
Swivelling	✓		
Swivel angle range	-173 - 173°		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	✓		
Plug and Play	✓		
LED indicators	✓		



0884116442110



884116442110

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date