ASUS ROG STRIX B650E-I GAMING WIFI AMD B650 Enchufe AM5 Mini ITX

Marca: ASUS Código del producto: 90MB1BI0-M0UAY0

Nombre del producto: ROG STRIX B650E-I GAMING

WIF

ASUS ROG STRIX B650E-I GAMING WIFI. Fabricante de procesador: AMD, Socket de procesador: Enchufe AM5, Procesador compatible: AMD Ryzen™ 7. tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 64 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1. Tipo de interfaz ethernet: 2.5 Gigabit Ethernet, Máximo estándar Wi-Fi: Wi-Fi 6E (802.11ax), Estándares de Wi-Fi: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Componente para: PC, Factor de forma de la tarjeta madre: Mini ITX, Familia del chipset: AMD





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	AMD Socket AM5	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Compatible processor series *	AMD Ryzen™ 7 Socket AM5	USB 3.2 Gen 2x2 Type-C ports quantity	1
Supported processor sockets	SOCKEL AMS	Ethernet LAN (RJ-45) ports *	1
Memory		HDMI ports quantity *	1
Supported memory types * Number of memory slots *	DDR5-SDRAM 2	Headphone outputs	1
Memory slots type	DIMM	Line-in	✓
Memory channels	Dual-channel	Microphone in	✓
ECC compatibility	ECC & Non-ECC	S/PDIF out port	✓
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,640 MHz	Network	
Maximum internal memory * Unbuffered memory	64 GB	Ethernet LAN	1
,	•	Ethernet interface type	2.5 Gigabit Ethernet
Storage controllers		Wi-Fi *	√
Supported storage drive types HDD & SSD		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported storage drive interfaces * M.2, SATA III			802.11a, 802.11b, 802.11g, Wi-Fi 4
RAID support RAID levels	7 0, 1	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Graphics		Bluetooth	✓
Parallel processing technology	,	Bluetooth version	5.2
support *	Not supported	Features	
On-board graphics card	×	Motherboard chipset *	AMD B650
Internal I/O		Audio chip	Realtek ALC4080
USB 2.0 connectors *	2	Audio output channels *	7.1 channels
USB 3.2 Gen 1 (3.1 Gen 1)	_	Product colour	Black
connectors *	2	Component for *	PC
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Motherboard form factor * Motherboard chipset family *	mini ITX AMD
Number of SATA III connectors	s * 2	Windows operating systems	Windows 10 x64, Windows 11 x64
Audio connector	✓	supported	Williaows 10 x04, Williaows 11 x04
Front panel audio connector	✓	Expansion slots	
ATX Power connector (24-pin)	✓	PCI Express x16 (Gen 5.x) slots	1
CPU fan connector	✓	Number of M.2 (M) slots	2

Internal I/O		BIOS	
Number of chassis fan connectors 1 EPS power connector (8-pin) 12V power connector	_	BIOS type * BIOS memory size Clear CMOS button	UEFI AMI 256 Mbit ✓
RGB LED pin header	✓	Packaging data	
Rear panel I/O ports		Package width	222 mm
USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2 4	Package depth Package height Package weight	182 mm 92 mm 8.58 kg
		Weight & dimensions	
		Width Depth	170 mm 170 mm
		Packaging content	
		Cables included	SATA, USB

