



BenQ LK936ST Proyector de corto alcance 5100 lúmenes ANSI DLP UHD 4K (3840x2160) Negro

Marca : BenQ

Código del producto: 9H.JPG77.15E

Nombre del producto : LK936ST

BenQ LK936ST. Brillo de proyector: 5100 lúmenes ANSI, Tecnología de proyección: DLP, Resolución original del proyector: UHD 4K (3840x2160). Tipo de fuente de luz: Laser, Vida útil de la fuente de luz: 20000 h. Rango de apertura: 1.83 - 1.86, Alcance de zoom: 1.1:1, Relación de alcance: 0.81 - 0.89. Tipo de serie de interfaz: RS-232, Tipo de conector HDMI: De tamaño completo, Versión HDMI: 2.0b. Nivel de ruido: 40 Db, Nivel de ruido (modo económico): 33 Db



Projector		Network	
Smart projector *	✗	Smart TV *	✗
Projector brightness *	5100 ANSI lumens	Ethernet LAN *	✓
Projection technology *	DLP	Ethernet LAN (RJ-45) ports	1
Projector native resolution *	UHD 4K (3840x2160)	Wi-Fi *	✗
Contrast ratio (typical) *	3000000:1	Storage	
Native aspect ratio *	16:9	Card reader integrated *	✗
Number of colours	1.07 billion colours	Features	
Horizontal scan range	15 - 135 kHz	Interactive *	✗
Vertical scan range	23 - 240 Hz	Noise level (economic mode)	33 dB
Keystone correction, horizontal	-40 - 40°	HDCP	✓
Keystone correction, vertical	-40 - 40°	Noise level *	40 dB
Matrix size	1.19 cm (0.47")	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Laser	RMS rated power	10 W
Service life of light source *	20000 h	Number of built-in speakers	1
Lens system		Design	
Aperture range (F-F)	1.83 - 1.86	Product type *	Short throw projector
Zoom capability	✓	Product colour *	Black
Zoom ratio	1.1:1	Display	
Throw ratio	0.81 - 0.89	Built-in display *	✗
Horizontal lens shift range	-23 - 23%	Power	
Vertical lens shift range	-60 - 60%	Power source *	AC
Offset	0%	Power consumption (typical) *	440 W
Video		Power consumption (standby) *	0.5 W
Full HD *	✓	AC input voltage	100 - 240 V
Ports & interfaces			
HDMI connector type	Full-size		

Ports & interfaces		Power	
HDMI version	2.0b	AC input frequency	50 - 60 Hz
DisplayPorts quantity	1	Operational conditions	
HDBaseT port	✓	Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity	1	Weight & dimensions	
Audio (L/R) in *	1	Width	416 mm
Serial interface type *	RS-232	Depth	351 mm
PC Audio out	✓	Height	166 mm
HDMI ports quantity *	2	Weight *	7 kg
DVI port *	✗	Packaging content	
AC (power) in	✓	Remote control included *	✓
Audio Return Channel (ARC)	✓	Cables included	AC, HDMI
		Manual	✓
		Logistics data	
		Harmonized System (HS) code	85286200



4718755086878

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date