

## DELL Latitude 5440 Intel® Core™ i7 i7-1355U Computadora portátil 35.6 cm (14") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Gris

Marca : DELL Familia de productos: Código del producto: K94CK

Latitude

Nombre del producto: 5440

- Windows 11 Pro 64-bit
- Intel Core i7-1355U (12MB Cache)
- 35.6 cm (14") Full HD 1920 x 1080 IPS
- 16GB (3200MHz) DDR4-SDRAM (2 x 8) & 512GB SSD

Intel Core i7-1355U (12MB Cache), 16GB DDR4-SDRAM, 512GB SSD, 35.6 cm (14") Full HD 1920  $\times$  1080 IPS, Intel Iris Xe Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

DELL Latitude 5440 Intel® Core™ i7 i7-1355U Computadora portátil 35.6 cm (14") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Gris:

## Lleve el trabajo más cerca suyo

Laptop de 14 pulgadas para un rendimiento escalable e inteligente. Rediseñada con un nuevo panel táctil, pantalla y cámara FHD y procesadores Intel® Core™ de 13.ª generación.





Design		Ports & interfaces	
Product type * Product colour * Form factor * Market positioning	Laptop Grey Clamshell Business	HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4	2.0
Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel pitch Pixel density RGB colour space	Display Display diagonal * 35.6 cm (14") Display resolution * 1920 x 1080 pixels Touchscreen * X HD type Full HD Panel type IPS LED backlight	Combo headphone/mic port  USB Type-C DisplayPort Alternate Mode PowerShare Number of USB ports with PowerShare support  Performance Ambient light sensor  Keyboard Pointing device Numeric keypad * Keyboard backlit Keyboard number of keys	Touchpad  X  80
Colour gamut	45%	Keyboard language	Spanish
Display response rise/fall Maximum refresh rate Contrast ratio (typical)  Processor	35 ms 60 Hz 600:1	Software Operating system architecture Operating system language	64-bit English, Spanish, French, Brazilian- Portuguese
Processor manufacturer * Processor family *	Intel Intel® Core™ i7	Trial software  Operating system installed *	No Microsoft Office License Included - 30 day Trial Offer Only Windows 11 Pro
Processor generation Processor model * Processor cores Processor threads	13th gen Intel® Core™ i7 i7-1355U 10 12	Processor special features Intel Flex Memory Access Intel Trusted Execution Technology	✓ ✓

		B	
Processor		Processor special features	
Performance-core Max Turbo Frequency	5 GHz	Intel VT-x with Extended Page Tables (EPT)	✓
Efficient-core Max Turbo Frequency	3.7 GHz	Execute Disable Bit	<b>✓</b>
Processor cache	12 MB	CPU configuration (max)	1
Processor cache type	Smart Cache	Embedded options available	×
Configurable TDP-down	12 W	Intel Virtualization Technology for	/
Memory		Directed I/O (VT-d) Intel Virtualization Technology (VT-	
Internal memory *	16 GB	x)	✓
Internal memory type  Memory form factor	DDR4-SDRAM SO-DIMM	Battery	
Memory layout (slots x size)	2 x 8 GB	Number of battery cells	3
Memory slots	2x SO-DIMM	Battery capacity *	54 Wh
Maximum internal memory *	64 GB	Battery voltage	11.4 V
Memory channels	Dual-channel	Battery recharge time	4 h
Memory data transfer rate	3200 MT/s	Fast charging	
Non-ECC	✓	Battery weight	220 g
Storage		Power	
Total storage capacity *	512 GB	AC adapter power	65 W
Storage media *	SSD	AC adapter frequency	50/60 Hz
Total SSDs capacity	512 GB	AC adapter input voltage	100 - 240 V
Number of SSDs installed	1 513 CD	USB Type-C charging port *	<b>✓</b>
SSD capacity SSD interface	512 GB PCI Express	USB Power Delivery (USB PD) USB charging voltage	✓ 20,5,9,15 V
NVMe	✓		20,5,9,15 V
SSD form factor	M.2	Security	
SSD performance class	35	Cable lock slot	
Optical drive type *	×	Cable lock slot type	Wedge
Card reader integrated	×	Trusted Platform Module (TPM)	<b>✓</b>
		Trusted Platform Module (TPM)	2.0
Graphics		version	2.0
<b>Graphics</b> Discrete graphics card model *	Not available	version Operational conditions	2.0
•	Not available		0 - 35 °C
Discrete graphics card model *		Operational conditions	
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card *	✓	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 35 °C -40 - 65 °C 10 - 90%
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer	✓ Intel	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95%
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card *	✓ Intel ×	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
On-board graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *	✓ Intel ×	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio system Number of built-in speakers	Intel  X Intel Iris Xe Graphics  MaxxAudio 2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio system Number of built-in speakers Speakers manufacturer	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating vibration Non-operating vibration	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front)	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio  Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric)	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  2 2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear)	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  2 2.07 MP 1920 x 1080 pixels	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera HD type	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels Full HD	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e)	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2  2.07 MP 1920 x 1080 pixels Full HD 30 fps	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Privacy camera Privacy type  Network	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels  Full HD 30 fps  ✓ Privacy shutter	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Privacy camera Privacy type  Network  Top Wi-Fi standard *	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps  ✓ Privacy shutter  Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b,	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio  Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Privacy camera Privacy type  Network  Top Wi-Fi standard *  Wi-Fi standards	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps  ✓ Privacy shutter  Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 6E (802.11ax)	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio  Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Privacy camera Privacy type  Network  Top Wi-Fi standard *  Wi-Fi standards  Mobile network connection *	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps  ✓ Privacy shutter  Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)  X	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *  Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model *  Audio  Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Privacy camera Privacy type  Network  Top Wi-Fi standard *  Wi-Fi standards	Intel  X Intel Iris Xe Graphics  MaxxAudio 2 Waves 2 W  ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps  ✓ Privacy shutter  Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 6E (802.11ax)	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *  Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e)	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg

Network		Carbon footprint	
WLAN controller manufacturer Ethernet LAN Ethernet LAN data rates	Intel  ✓ 10,100,1000 Mbit/s	Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Packaging content	253 1.3.2
Bluetooth	✓		
Ports & interfaces		Cables included	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		
Ethernet LAN (RJ-45) ports	1		
HDMI ports quantity *	1		





884116452706

0884116452706

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.