

GIGABYTE GP-UD850GM PG5 unidad de fuente de alimentación
850 W 20+4 pin ATX ATX Negro

Marca : GIGABYTE

Código del producto: GP-UD850GM PG5

Nombre del producto : GP-UD850GM PG5

GIGABYTE GP-UD850GM PG5. Potencia total: 850 W, Voltaje de entrada AC: 100 - 240 V, Frecuencia de entrada AC: 50 - 60 Hz. Alimentador de energía para tarjeta madre: 20+4 pin ATX, Longitud del cable de alimentación de la placa base: 61 cm, Longitud del cable de alimentación SATA: 150,600 mm. Utilizar con: PC, Factor de forma de fuente de alimentación (PSU): ATX, Certificación 80 PLUS: 80 PLUS Gold. Color del producto: Negro, Tipo de enfriamiento: Activo, Diámetro de ventilador: 12 cm. Cables incluidos: CPU, PATA, Peripheral (Molex), SATA



Power		Ports & interfaces	
Total power *	850 W	PCI Express power connectors (16-pin)	1
AC input voltage *	100 - 240 V	PCI Express power cable length	70 cm
AC input frequency	50 - 60 Hz	CPU power connector (4+4 pin)	✓
Input current	12 - 6 A	ATX power connector (20+4 pin)	✓
Maximum input current (@110V)	6 A	PCI Express connector	✓
Maximum input current (@220V)	12 A	Cabling type	Fully-Modular
Power Factor Correction (PFC) type	Active	Performance	
Combined power (+3.3V)	105 W	80 PLUS certification *	80 PLUS Gold
Combined power (+12V)	850 W	Purpose *	PC
Combined power (+5V)	105 W	Power supply unit (PSU) form factor *	ATX
Combined power (-12V)	3.6 W	Noise level	40 dB
Combined power (+5Vsb)	15 W	Mean time between failures (MTBF)	100000 h
Max output current (+3.3V)	20 A	Design	
Max output current (+12V)	70.8 A	Product colour	Black
Max output current (+5V)	20 A	Cooling type	Active
Max output current (-12V)	0.3 A	Fan diameter	12 cm
Max output current (+5Vsb)	3 A	Number of fans	1 fan(s)
Hold time	16 ms	Fan location	Top
Efficiency	90%	Illumination	✗
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Packaging content	
Ports & interfaces		Cables included	CPU, PATA, Peripheral (Molex), SATA
Motherboard power connector *	20+4 pin ATX	Cable tie(s) included	✓
Motherboard power cable length	61 cm	Certificates	
Number of SATA power connectors	8	Compliance certificates	CCC, CE, Federal Communications Commission (FCC), RoHS
Number of PATA power connectors	3		
SATA power cable length	150,600 mm		

Ports & interfaces		Weight & dimensions	
Peripheral (Molex) power connectors (4-pin) *	2	Width	150 mm
Peripheral (Molex) power cable length	200,600 mm	Depth	140 mm
PCI Express power connectors (6+2 pin)	4	Height	85 mm
		Packaging data	
		Package type	Box
		Logistics data	
		Warranty period	5 year(s)



4719331553104

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date