
QNAP

QNAP TS-1655 NAS Tower Intel Atom® C5125 8 GB DDR4 0 TB QNAP Turbo System Negro

Marca : QNAP Código del producto: TS-1655-8G-US

Nombre del producto: TS-1655







Storage		Design	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Cable lock slot type	Kensington
Storage drive sizes supported	2.5,3.5,M.2	Performance	
Number of M.2 (M & B) slots	2	Type *	NAS
RAID support *	/	Device class *	Small & Medium Business
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Backup function *	✓
Online RAID migration	✓	Backup features	Cloud, USB drive, iSCSI LUN
Online RAID expansion	✓	Buzzer	✓
RAID rebuild	✓	Multilingual support	✓
Hot-swap drive bays	✓	Number of users	4096 user(s)
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Snapshot	✓
Storage drives installed *	X	Management protocols	SNMP V2/V3
Total installed storage capacity *	0 TB	Share folder access right management	✓
Installed storage drive type * Supported storage drive types *	X HDD & SSD	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH, TLS
Bad block scan	✓	Access Control List (ACL)	✓
Disk roaming	✓	Reset button	✓
Processor		On/off switch	✓
Processor manufacturer *	Intel	Built-in FTP server	✓
Processor family *	Intel Atom®	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Processor model *	C5125	System log	✓
Processor frequency * Processor cores	2.8 GHz 8	Hot spare	✓
Processor threads	8	Password authentication	✓
	•	Disk scan	✓
Memory	0.00	S.M.A.R.T. support	✓
Internal memory *	8 GB DDR4	Share folder	CIFS/SMB, AFP, NFS, FTP
Internal memory type Maximum RAM supported	128 GB	USB copy function	✓
Memory slots	4	Software	
Memory form factor	UDIMM		ONAD Turbo System
ECC	✓	Operating system installed * Operating system version	QNAP Turbo System 5.0.1
Flash memory	5000 MB	Windows operating systems	Windows 10, Windows 11, Window
Network		supported	7, Windows 8
Ethernet LAN *	✓	Linux operating systems supported	✓

Network		Software	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Mac operating systems supported	1
DHCP client	✓		Windows Server 2008 R2, Windows
DHCP server	✓	Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
Jumbo frames support	✓		Server 2019
iSCSI support	✓	Power	
Wake-on-LAN ready	✓	Power supply location	Built-in
Dynamic DNS (DDNS)	✓	Power supply unit (PSU) capacity	550 W
Ports & interfaces		Number of power supply units	1
USB port *	1	Power consumption (typical)	104.65 W
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	4	Power consumption (HDD standby) AC input voltage	94.957 W 100 - 240 V
ports quantity	•	Fan voltage	12 V
Ethernet LAN (RJ-45) ports * Concurrent connections	2 700	Weight & dimensions	
PCI Express x4 (Gen 3.x) slots	3	Width *	369.9 mm
	3	Depth *	319.8 mm
Design Chassis turns *	Tamas	Height *	303.8 mm
Chassis type * Cooling type *	Tower Active	Packaging content	
Product colour	Black	Cables included	AC, LAN (RJ-45)
Number of fans	5 fan(s)	Power cables quantity	1
Fan diameter	9.2 cm	Number of screws	72
Fan diameter 2	9.7 cm	Drive tray key included	✓
Drive bay locking	V	Operational conditions	
LED indicators	HDD, LAN, M.2, Power, SSD, Status, USB	Operating temperature (T-T)	0 - 40 °C
Cable lock slot	✓	Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C
		Storage relative humidity (H-H)	5 - 95%





885022025527

0885022025527

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.