


## ASUS PRIME H510M-K R2.0 Intel H510 LGA 1200 (Socket H5) Micro ATX

**Marca :** ASUS

**Código del producto:** 90MB1E80-M0EAY0

**Nombre del producto :** PRIME H510M-K R2.0

ASUS PRIME H510M-K R2.0. Fabricante de procesador: Intel, Socket de procesador: LGA 1200 (Socket H5), Procesador compatible: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... tipos de memoria compatibles: DDR4-SDRAM, Memoria interna máxima: 64 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD. Tipo de interfaz ethernet: Ethernet rápido, Gigabit Ethernet. Componente para: PC, Factor de forma de la tarjeta madre: Micro ATX, Familia del chipset: Intel



Processor		Internal I/O	
Processor manufacturer *	Intel	EPS power connector (8-pin)	✓
Processor socket *	LGA 1200 (Socket H5)	TPM connector	✓
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	12V power connector	✓
Memory		Rear panel I/O ports	
Supported memory types *	DDR4-SDRAM	USB 2.0 ports quantity *	2
Number of memory slots *	2	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Memory slots type	DIMM	Ethernet LAN (RJ-45) ports *	1
Memory channels	Dual-channel	PS/2 ports quantity	1
ECC compatibility	Non-ECC	VGA (D-Sub) ports quantity *	1
Supported memory clock speeds	2133,2400,2666,2800,2933,3000,3200 MHz	HDMI ports quantity *	1
Maximum internal memory *	64 GB	COM ports quantity	1
Unbuffered memory	✓	Network	
Storage controllers		Ethernet LAN	✓
Supported storage drive types	HDD & SSD	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Supported storage drive interfaces *	M.2, SATA III	Wi-Fi *	✗
Number of HDDs supported	4	Features	
Number of storage drives supported	5	Motherboard chipset *	Intel H510
Internal I/O		Audio output channels *	7.1 channels
USB 2.0 connectors *	2	Component for *	PC
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Motherboard form factor *	micro ATX
Number of SATA III connectors *	4	Motherboard chipset family *	Intel
S/PDIF out connector	✓	Windows operating systems supported	Windows 10 x64
Front panel audio connector	✓	Expansion slots	
ATX Power connector (24-pin)	✓	PCI Express x1 (Gen 3.x) slots	1
		Number of M.2 (M) slots	1

Internal I/O		BIOS	
CPU fan connector	✓	BIOS type *	EFI AMI
Number of chassis fan connectors	1	BIOS memory size	128 Mbit
Weight & dimensions			
Width		226 mm	
Depth		203 mm	



4711387113189

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date