

## DELL E Series E2724HS LED display 68.6 cm (27") 1920 x 1080 **Pixeles Full HD LCD Negro**

Marca : DELL

Familia de productos: E Series

Código del producto:

E2724HS

Nombre del producto : E2724HS

- 68.6cm (27") Full HD 1920 x 1080 LED VA

- 8ms, 16:9, 3000:1

- VGA, HDMI, DisplayPort

68.6cm (27") Full HD 1920 x 1080 LED VA, 16:9, 16.7M, 8ms, 178°/178°, 3000:1

DELL E Series E2724HS. Diagonal de la pantalla: 68.6 cm (27"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LCD, Tiempo de respuesta: 8 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Altavoces incorporados. montaje VESA, Ajustes de altura. Color del producto: Negro





Display		Power	
Display diagonal * Display resolution * HD type *	68.6 cm (27") 1920 x 1080 pixels Full HD	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000	D Not available 17 kWh
Native aspect ratio *16:9Display technology *LCDPanel type *VABacklight typeLEDTouchscreen *×Display brightness (peak)300 cd/m²Response time *8 msAnti-glare screen✓Screen shape *FlatContrast ratio (typical) *3000:1Maximum refresh rate *60 HzViewing angle, horizontal178°Viewing angle, vertical16.7 million coloursResponse time (fast)5 msPixel pitch0.3114 x 0.3114 mmPixel density\$9.8 cm	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Energy efficiency scale	17 W 0.3 W 30 W 0.3 W 100 - 240 V 50 - 60 Hz 1.5 A A to G	
	3000:1 60 Hz	European Product Registry for Energy Labelling (EPREL) code 1271851 Operational conditions	
	178° 16.7 million colours 5 ms 0.3114 x 0.3114 mm 81.57 ppi	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m 5000 - 12192 m
Viewable size, vertical Viewable size diagonal Digital horizontal frequency Digital vertical frequency Display diagonal (metric) Colour gamut standard Colour gamut	33.6 cm 68.6 cm 30 - 85 kHz 48 - 75 Hz 68.6 cm NTSC 83%	Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	613 mm 217.2 mm 535.2 mm 5.36 kg 613 mm 51 mm 364.3 mm

Performance		Weight & dimensions	
NVIDIA G-SYNC *	×	Weight (without stand)	3.89 kg
AMD FreeSync *	×	Bezel width (side)	7.56 mm
Multimedia		Bezel width (top)	7.54 mm
RMS rated power	2 W	Bezel width (bottom)	2.05 cm
Built-in speaker(s) *	 /	Packaging data	
Built-in camera *	×	Package weight	7.73 kg
Design		Packaging content	
Market positioning *	Office	Stand included	1
Product colour *	Black	Cables included	AC, HDMI
Front bezel colour	Black	Quick start guide	1
Detachable stand	✓	Sustainability	
Feet colour	Black	Sustainability certificates	ENERGY STAR, TCO
Ports & interfaces		Doesn't contain	PVC/BFR
Built-in USB hub *	×	Carbon footprint	
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e)	482
HDMI *	1	Total carbon emissions, standard deviation (kg of CO2e)	128
HDMI ports quantity HDMI version	1 1.4	Carbon emissions, manufacturing (kg of CO2e)	299
DisplayPorts quantity DisplayPort version	1 1.2	Carbon emissions, logistics (kg of CO2e)	38
Headphone out *	×	Carbon emissions, energy usage (kg of CO2e)	140
AC (power) in Ergonomics	<ul> <li>Image: A set of the set of the</li></ul>	Carbon emissions, end-of-life (kg of CO2e)	4
VESA mounting *	1	Total carbon emissions, w/o use phase (kg of CO2e)	342
Panel mounting interface	100 x 100 mm	PAIA version	1.3.1
Cable management	<ul> <li>Image: A start of the start of</li></ul>	Other features	
Cable lock slot *		Heavy metals free	Hg (mercury)
Cable lock slot type	Kensington	Compliance certificates	RoHS
Height adjustment *	1		
Adjustable height (max)	13 cm		
Swivelling	1		
Swivel angle range	-173 - 173°		
Tilt adjustment	1		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	1		
Plug and Play	1		





884116442134

0884116442134

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.