Hisense 65A6KV Televisor 165.1 cm (65") 4K Ultra HD Smart TV Wifi Negro 300 cd / m^2

Marca : Hisense Código del producto: 65A6KV

Nombre del producto: 65A6KV

Hisense 65A6KV. Diagonal de la pantalla: 165.1~cm (65"), Resolución de la pantalla: 3840~x 2160~Pixeles, Tipo HD: 4K Ultra HD, Tecnología de visualización: LCD, Forma de la pantalla: Plana, Tipo de retro iluminación LED: Direct-LED. Smart TV. Brillo de pantalla: 300~cd / m^2 , Tiempo de respuesta: 8~ms, Relación de aspecto nativa: 16:9. Wifi, Ethernet. Color del producto: Negro





Display		Ports & interfaces	
Display diagonal * 165.1 cm (65") HD type * 4K Ultra HD Display technology * LCD LED backlight ✓ LED backlighting type Screen shape * Flat	4K Ultra HD LCD ✓ Direct-LED	HDMI version Audio Return Channel (ARC) Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Digital audio optical out Headphone outputs RF ports quantity	2.0 v 1 2 1 1 1 1
Display brightness *	300 cd/m ²	HDMI ports quantity *	3
Response time Native refresh rate	8 ms 120 Hz	Management features	
Display number of colours Display resolution *	1.07 billion colours 3840 x 2160 pixels	Voice control On Screen Display (OSD)	✓ ✓
Smart TV		Number of OSD languages On Screen Display (OSD) languages	3 English, Spanish, French
Smart TV * Internet TV * Operating system installed * Smart modes	✓ ✓ VIDAA Game	Sleep timer Works with Amazon Alexa Works with the Google Assistant	✓ ✓ ✓
Audio	Gaine	Power	
Number of speakers * RMS rated power * Audio decoders	2 16 W DTS Virtual:X	Power consumption (typical) * Power consumption (standby) * AC input voltage AC input frequency	160 W 0.5 W 120 V 60 Hz
Network		Weight & dimensions	
Wi-Fi * Wi-Fi standards Bluetooth * Ethernet LAN *	✓ Wi-Fi 5 (802.11ac) ✓	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)	1452 mm 294.6 mm 899.2 mm 15.3 kg 1452 mm

Design		Weight & dimensions	
Product colour *	Black	Depth (without stand)	73.7 mm
VESA mounting *	✓	Height (without stand)	840.7 mm
Panel mounting interface	400 x 300 mm	Packaging data	
Performance		Quick start guide	✓
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10)	Manual	✓
technology		Package width	1628.1 mm
Game mode	•	Package depth	177.8 mm
Noise reduction *	✓	Package height	995.7 mm
High Dynamic Range (HDR) supported *	✓	Package weight	24.4 kg
Parental control	/	Packaging content	
USB recording	✓	Remote control included	✓





888143015606

0888143015606

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.