

## EZVIZ H3c Bala (forma) Cámara de seguridad IP Exterior 1920 x 1080 Pixeles Pared

Marca : EZVIZ

Código del producto: CS-H3C

Nombre del producto : H3c

EZVIZ H3c. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Pared, Color del producto: Blanco, Factor de forma: Bala (forma). Iluminación mínima: 0.01 Lux, Ángulo de visión del objetivo, horizontal: 82°, Ángulo de visión de la lente, diagonal: 98°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Diámetro de lente: 4 mm



| Performance  |   | Network   |   |
|--|---|---|---|
| Type *<br>Placement supported *<br>Connectivity technology *<br>Wide Dynamic Range (WDR) | IP security camera<br>Outdoor<br>Wired & Wireless | Bluetooth *   | ×   |
|  |   | Channel bandwidth                                       | 20 MHz  |
|  |   | Storage   |   |
| Virtual assistant  | Amazon Alexa & Google Assistant                   | Built-in HDD *  | ×   |
| Day/night mode   | ✓   | Card reader integrated                                  | ✓   |
| Design   |   | Compatible memory cards                                 | MicroSD (TransFlash)  |
| Form factor *  | Bullet  | Maximum memory card size                                | 512 GB  |
| Mounting type *  | Wall  | Security  |   |
| Product colour *   | White   | Password protection                                     | ✓   |
| International Protection (IP) code   | IP67  | Video motion detection                                  |   |
| Camera   |   | Security algorithms                                     | 64-bit WEP, 128-bit WEP, WPA,<br>WPA-PSK, WPA2, WPA2-PSK  |
| Minimum illumination<br>Lens viewing angle, horizontal                                   | 0.01 lx<br>82°                                    | Intelligent Video Surveillance (IVS)<br>system features | Human detection   |
| Lens viewing angle, diagonal   | 98°   | Anti-flicker  | ✓   |
| Image sensor   |   | Heartbeat   | <ul> <li>Image: A start of the start of</li></ul> |
| Optical sensor size  | 25.4 / 2.7 mm (1 / 2.7")                          | Mirror  | <ul> <li>Image: A set of the set of the</li></ul> |
| Sensor type *  | CMOS  | Digital watermark                                       | ✓   |
| Lens system  |   | Power   |   |
| Number of lenses *   | 1   | Power source type *                                     | DC  |
| Lens diameter  | 4 mm  | Power consumption (max)                                 | 6 W   |
| Night vision   |   | Operational conditions                                  |   |
| Night vision *   | 1   | Operating temperature (T-T)                             | -30 - 50 °C   |
| Night vision distance  | 30 m  | Operating relative humidity (H-H)                       | 0 - 95%   |
| LED type   | IR  | Weight & dimensions                                     |   |
| Video  |   | Diameter  | 7.2 cm  |
| Maximum resolution *   | 1920 x 1080 pixels                                | Length  | 157 mm  |
| Video formats supported<br>Supported video modes   | H.264, H.265<br>1080p                             | Weight  | 250 g   |
| Frame rate   | 30 fps  | Packaging data  | 227   |
| Noise reduction technology   | 3D noise reduction                                | Package width<br>Package depth                          | 227 mm<br>100 mm  |
| Digital Wide Dynamic Range   | 1   | Package height  | 92 mm   |
| (DWDR)   |   | Package weight  | 447 g   |
| Network  |   | Sustainability  |   |
| Ethernet LAN *   | ✓ Fast Ethernet                                   | Sustainability compliance                               | 1   |
| Ethernet interface type  | Fast Ethernet                                     |   |   |

| Network   |  | Sustainability             |  |
|---|--|----------------------------|--|
| Wi-Fi *<br>Wi-Fi standards<br>Wi-Fi data rate (max) | ✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) 144 Mbit/s | Compliance certificates    | CE, Federal Communications<br>Commission (FCC), REACH, RoHS,<br>UKCA, WEEE |
|   | 144 MDI(/S                                       | Packaging content          |  |
|   |  | Number of cameras *        | 1  |
|   |  | Screws included            | 1  |
|   |  | Drilling template included | 1  |
|   |  | Manual                     | <b>v</b>   |
|   |  | Waterproof connector       | 1  |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.