

GIGABYTE B550M DS3H AC placa base AMD B550 Enchufe AM4 Micro ATX

Marca : GIGABYTE

Código del producto: B550M DS3H AC

Nombre del producto : B550M DS3H AC Placa base - Procesadores AMD Ryzen 5000, VRM de 5+3 fases, hasta 4733 MHz DDR4, 1xPCIe 4.0 + 1xPCIe 3.0 M.2, Wi-Fi 5, LAN 1GbE, USB 3.2 Gen 1



B550M DS3H AC Placa base - Procesadores AMD Ryzen 5000, VRM de 5+3 fases, hasta 4733 MHz DDR4, 1xPCIe 4.0 + 1xPCIe 3.0 M.2, Wi-Fi 5, LAN 1GbE, USB 3.2 Gen 1

GIGABYTE B550M DS3H AC placa base AMD B550 Enchufe AM4 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Network	
Processor manufacturer *	AMD	Ethernet LAN	✓
Processor socket *	Socket AM4	Ethernet interface type	Gigabit Ethernet
Compatible processor series *	AMD Ryzen 3000 Series, AMD Ryzen 4000 Series, AMD Ryzen 5000 Series	LAN controller	Realtek RTL8111H
		Wi-Fi *	✓
Supported processor sockets	Socket AM4	Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Memory		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Supported memory types *	DDR4-SDRAM	WLAN controller model	Realtek RTL8821CE
Number of memory slots *	4	Bluetooth	✓
Memory slots type	DIMM	Bluetooth version	4.2
Memory channels	Dual-channel	Features	
ECC compatibility	ECC & Non-ECC	Motherboard chipset *	AMD B550
Supported memory clock speeds MHz	4733,4600,4400,4266,4133,4000,3866,3733,3600,3466,3400,3200,2933,2667,2400,2133	Audio chip	Realtek ALC897
Supported memory clock speed (max)	4733 MHz	Audio output channels *	7.1 channels
Maximum internal memory *	128 GB	Product colour	Brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage
Maximum internal memory per slot	32 GB	Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2, SATA III	Cooling type	Passive
Number of HDDs supported	4	Power source type	ATX
Number of storage drives supported	6	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID support	✓	Expansion slots	
RAID levels	0, 1, 10	PCI Express x1 (Gen 3.x) slots	1
Graphics		PCI Express x16 (Gen 3.x) slots	1
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 4.x) slots	1
Maximum resolution	4096 x 2160 pixels	Number of M.2 (M) slots	2
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	1	1st M.2 largest key size	22110
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	1st M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	2nd M.2 largest key size	2280
Audio connector	✓	2nd M.2 highest PCI Express generation	3.0
Front panel audio connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	128 Mbit
Number of CPU fan connectors	1	ACPI version	5.0
Number of chassis fan connectors	2	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Desktop Management Interface (DMI) version	2.7
Number of EPS power connectors (8-pin)	1	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
12V power connector	✓	Products per shipping (inner) case	1 pc(s)
Number of water pump connectors	2	Battery	
RGB LED pin header	✓	Battery weight	3 g
Number of RGB LED pin headers	5	Lithium weight per battery	0.07 g
Rear panel I/O ports		Number of battery cells	1
USB 2.0 ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
PS/2 ports quantity	1	Package width	270 mm
HDMI ports quantity *	1	Package depth	268 mm
HDMI version	2.1	Package height	68 mm
DVI-D ports quantity *	1	Package weight	1.09 kg
Headphone outputs	1	Weight & dimensions	
Line-in	✓	Width	244 mm
Microphone in	✓	Depth	244 mm
WiFi-AP antenna jack	2	Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331810962



0889523024416



889523024416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date