

EZVIZ RGRAP6260(G)/BC1C/PS cámara de vigilancia Bala (forma) Cámara de seguridad IP Exterior 1920 x 1080 Pixeles Techo/pared

Marca : EZVIZ

Código del producto: RGRAP6260(G)/BC1C/PS

Nombre del producto: RGRAP6260(G)/BC1C/PS

Kit de Cámaras Wi-Fi con Router / Incluye 1 Cámara de Batería CS-BC1C / 1 Pane solar Mod. CS-CMT-SOLARPANEL-C / 1 Router RGRAP6260(G)

EZVIZ RGRAP6260(G)/BC1C/PS. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico. Tipo de montaje: Techo/pared, Color del producto: Negro, Gris, Factor de forma: Bala (forma). Iluminación mínima: 0.2 Lux, Ángulo de visión del objetivo, horizontal: 108°, Ángulo de visión de la lente, diagonal: 125°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Distancia focal fija: 2.8 mm





Performance		Video	
Type * IP security camera Placement supported * Outdoor Connectivity technology * Wireless Day/night mode Infrared (IR) cut-off filter	Noise reduction Noise reduction technology Bit rate Network	✓3D noise reduction2 Mbps	
Operating frequency	2400 - 2483.5 MHz	Ethernet LAN *	X IEEE 802.11b, IEEE 802.11q, IEEE
Design		Networking standards Wi-Fi *	802.11n
Form factor * Bullet Mounting type * Ceiling/wall Product colour * Black, Grey Protection features Dust resistant, Water resistant	Ceiling/wall	Wi-Fi standards Wi-Fi data rate (max) Bluetooth *	802.11b, 802.11g, Wi-Fi 4 (802.11n) 72 Mbit/s X
International Protection (IP) code Weatherproof	IP66 ✓	Storage	
Camera	•	Built-in HDD * Flash memory	X 32000 MB
Minimum illumination Lens viewing angle, horizontal Lens viewing angle, diagonal	0.2 lx 108° 125°	Ports & interfaces DC-in jack	•
Adjustment shutter speed	Auto	Security Password protection	√
Image sensor Number of sensors Optical sensor size Progressive scan Sensor type *	1 25.4 / 2.8 mm (1 / 2.8") CMOS	Video motion detection Security algorithms Anti-flicker	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Lens system		Heartbeat	✓
Number of lenses * Maximum aperture number Fixed focal length	1 1 2.8 mm	Power Power source type *	Battery
Night vision Night vision *	✓	DC output voltage DC output current	5 2 A

Night vision		Power	
Night vision distance LED type	10 m IR	Battery technology Battery capacity	Lithium 7800 mAh
Video		Operational conditions	
Total megapixels * 2 MP Video compression formats H.264, H.265	H.264, H.265 1920 x 1080 (HD 1080) 1080p ✓ 30 fps	Operating temperature (T-T) Operating relative humidity (H-H)	-20 - 50 °C 0 - 95%
		Weight & dimensions	
		Width Depth Height Weight	104.8 mm 62.8 mm 62.8 mm 365 g
		Sustainability	
		Sustainability certificates Compliance certificates	UL ECOLOGO CE, Federal Communications Commission (FCC), REACH, RoHS, WEEE
		Packaging content	
		Number of cameras * Mounting kit	1
		Screws included	✓

