

Epson PowerLite L260F 4600 lúmenes ANSI 3LCD 1080p (1920x1080) Blanco

Marca : Epson

Familia de productos:  
PowerLite

Código del producto:  
V11HA69020



Nombre del producto : L260F

Epson PowerLite L260F. Brillo de proyector: 4600 lúmenes ANSI, Tecnología de proyección: 3LCD, Resolución original del proyector: 1080p (1920x1080). Tipo de fuente de luz: Laser, Vida útil de la fuente de luz: 20000 h, Vida útil de la fuente de luz (modo económico): 30000 h. Enfoque: Manual, Intervalo de longitud focal: 18.2 - 29.1 mm, Rango de apertura: 1.51 - 1.77. Modos de color de vídeo: Pizarrón, Modo de simulación DICOM, Dinámico, Multi-projection, Presentación, sRGB. Tipo de serie de interfaz: RS-232C

Projector		Ports & interfaces	
Screen size compatibility *	787.4 - 7874 mm (31 - 310")	HDMI ports quantity *	2
Projection distance	0.88 - 9.06 m	Composite video in *	1
Projector brightness *	4600 ANSI lumens	DVI port *	✗
Projection technology *	3LCD	Audio Return Channel (ARC)	✓
Projector native resolution *	1080p (1920x1080)	Network	
Contrast ratio (typical) *	2500000:1	Ethernet LAN *	✓
Native aspect ratio *	16:9	Ethernet LAN (RJ-45) ports	1
Number of colours	1.07 billion colours	Wi-Fi *	✓
Keystone correction, horizontal	-30 - 30°	Wi-Fi standards	Wi-Fi 5 (802.11ac)
Keystone correction, vertical	-30 - 30°	Miracast	✓
Light source		Features	
Light source type *	Laser	Noise level (economic mode)	27 dB
Service life of light source *	20000 h	HDCP	✓
Service life of light source (economic mode)	30000 h	Projection modes	Ceiling
Lens system		On Screen Display (OSD)	✓
Focus *	Manual	Screen mirroring	✓
Focal length range	18.2 - 29.1 mm	Noise level *	37 dB
Aperture range (F-F)	1.51 - 1.77	Password protection	✓
Zoom capability	✓	Design	
Zoom type	Manual	Product colour *	White
Zoom ratio	1:1.62	Placement	Ceiling, Desktop, Floor, Wall
Throw ratio	1.32 – 2.12	Cable lock slot	✓
Video		Cable lock slot type	Kensington
Analog signal format system *	Not supported	Power	
Full HD *	✓	Power source *	AC
3D *	✗	Power consumption (typical) *	272 W
Video colour modes	Blackboard, DICOM simulation mode, Dynamic, Multi-projection, Presentation, sRGB	Power consumption (standby) *	2 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
Ports & interfaces		Operational conditions	
USB 2.0 ports quantity	2	Operating temperature (T-T)	0 - 40 °C
USB 2.0 Type-A ports quantity	1	Weight & dimensions	
USB 2.0 Type-B ports quantity	1	Width	325 mm
Audio (L/R) in *	2		
Audio (L/R) out	1		

Ports & interfaces		Weight & dimensions	
Microphone in	✓	Depth	299 mm
Serial interface type *	RS-232C	Height	90 mm
VGA (D-Sub) ports quantity *	2	Weight *	4.3 kg
Packaging content			
Remote control included *		✓	
Batteries included		✓	
Cables included		HDMI, Power	
Logistics data			
Quantity per pack		1 pc(s)	



0010343975422



010343975422

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date