

## EZVIZ H8 Pro 3K Esférico Cámara de seguridad IP Interior y exterior 2880 x 1620 Pixeles Pared/poste

Marca : EZVIZ

Código del producto: CS-H8-R100-1J5WKFL

Nombre del producto : H8 Pro 3K

EZVIZ H8 Pro 3K. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Pared/poste, Color del producto: Negro, Blanco, Factor de forma: Esférico. Iluminación mínima: 0.5 Lux, Ángulo de visión del objetivo, horizontal: 89°, Ángulo de visión del objetivo, vertical: 46°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 30 m, Distancia de visión nocturna en B/N: 30 m, Distancia de visión nocturna a color: 20 m






Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor & outdoor	Ethernet interface type	Fast Ethernet
Connectivity technology *	Wired & Wireless	Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE
Auto-tracking	<i>s</i>	5	802.11n
Preset points	<ul> <li>Image: A set of the set of the</li></ul>	Wi-Fi *	A     A
Wide Dynamic Range (WDR)	<ul> <li>Image: A set of the set of the</li></ul>	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Day/night mode	✓	Bluetooth *	X
Infrared (IR) cut-off filter	1	Channel bandwidth	20 MHz
Remote viewing	1	Storage	
Design		Built-in HDD *	×
Form factor *	Spherical	Card reader integrated	✓
Mounting type *	Wall/Pole	Compatible memory cards	MicroSD (TransFlash)
Product colour *	Black, White	Maximum memory card size	512 GB
LED indicators	✓	Ports & interfaces	
Protection features	Waterproof	Ethernet LAN (RJ-45) ports	1
Weatherproof	1	Security	
Camera		Built-in siren	1
Camera pan control	1	Password protection	v
Camera tilt control	1	Security algorithms	WPA-PSK, WPA2-PSK
Minimum illumination	0.5 lx	Alert notification type	Push notification
Lens viewing angle, horizontal Lens viewing angle, vertical	89° 46°	Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Lens viewing angle, diagonal	40 104°	Anti-flicker	✓
		Heartbeat	<ul> <li>Image: A set of the set of the</li></ul>
Image sensor		Digital watermark	<ul> <li>Image: A set of the set of the</li></ul>
Number of sensors	1		
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")		

Image sensor		Power	
Progressive scan Sensor type *	✓ CMOS	Power source type * Power consumption (max)	DC 6 W 12
Lens system		DC output voltage DC output current	12 1 A
Zoom capability Number of lenses * Maximum aperture number	<ul><li>✓</li><li>2</li><li>1.6</li></ul>	Operational conditions Operating temperature (T-T) Operating relative humidity (H-H)	-30 - 50 °C 0 - 95%
Night vision			0 - 93 %
Night vision * Night vision distance B/W night vision distance Colour night vision distance LED type	yht vision distance 30 m N night vision distance 30 m Iour night vision distance 20 m	Weight & dimensions Width Depth Height Weight	116 mm 153.2 mm 163.8 mm 592 g
Video	IIX	Packaging data	
Maximum resolution *2880 x 1620 pixelsTotal megapixels *5 MPVideo compression formatsH.264, H.265	5 MP	Package width Package depth Package height Package weight	187 mm 174 mm 186.5 mm 943 g
Image quality adjustment	DNR	Sustainability	
Bit rate Digital Wide Dynamic Range (DWDR)	4 Mbps ✓	Sustainability compliance Sustainability certificates	✓ UL ECOLOGO CE, Federal Communications
Audio		Compliance certificates	Commission (FCC), RoHS, UKCA, WEEE
	2-way 2400 - 2483.5 Hz	Packaging content Number of cameras * Screws included	1
		Drilling template included	1

Mounting template

1



6941545613048

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.