
## QNAP

## QNAP TS-433 NAS Tower ARM Cortex-A55 4 GB 0 TB QNAP Turbo System Blanco

Marca : QNAP Código del producto: TS-433-4G-US

Nombre del producto: TS-433







RAID support *	Serial ATA II, Serial ATA III 2.5,3.5"	Performance  Type *  Device class *	NAS
Storage drive sizes supported RAID support *		**	
RAID support *	213,313		Home & Home Office
• •	/	Backup function *	/
RAID levels	0, 1, 5, 6, 10, JBOD	Backup features	Cloud, iSCSI LUN
Online RAID migration	✓	Buzzer	<b>✓</b>
Online RAID expansion	<b>✓</b>	Multilingual support	<b>✓</b>
RAID rebuild	<b>✓</b>	Snapshot	<b>✓</b>
Hot-swap drive bays	<b>✓</b>	Management protocols	SNMP V2/V3
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Security algorithms Access Control List (ACL)	256-bit AES, FIPS 140-2, HTTPS, SSH
Storage drives installed *	×	Reset button	·
Total installed storage capacity *	0 TB	On/off switch	·
Number of storage drives supported	4	Built-in FTP server	✓
Installed storage drive type *	×	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Supported storage drive types *	HDD & SSD	System log	<b>/</b>
Disk roaming	✓	Hot spare	<b>✓</b>
Processor		Password authentication	<b>✓</b>
Processor family *	ARM	Disk scan	/
Processor model *	Cortex-A55	S.M.A.R.T. support	<b>✓</b>
Processor frequency * Processor cores	2 GHz 4	Software	
Processor architecture	ARM Cortex-A55	Operating system installed *	QNAP Turbo System
Memory	, G5115/1/105	Operating system version	5.0.1
Internal memory *	4 GB	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Maximum RAM supported	4 GB	Linux operating systems supported	✓
Flash memory	4000 MB	Mac operating systems supported	<b>✓</b>
Network			Windows Server 2008, Windows
Ethernet LAN * Ethernet LAN data rates	✓ 100,1000,2500 Mbit/s	Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
DHCP server	<b>✓</b>	Power	
	<b>✓</b>		E to will
Jumbo frames support			
Jumbo frames support iSCSI support	✓ ·	Power supply location  Power supply unit (PSU) capacity	External 90 W

Network		Power	
Dynamic DNS (DDNS)	✓	Power consumption (HDD standby)	8.45 W
Ports & interfaces		AC input voltage Fan voltage	100 - 240 V 12 V
USB port * USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	<b>v</b> 2 1	Weight & dimensions Width * Depth *	160 mm 219 mm
Ethernet LAN (RJ-45) ports * Concurrent connections	2 200	Height * Packaging content	169 mm
Design		External power adapter	1
Chassis type * Tower Cooling type * Active Product colour White Number of fans 1 fan(s)	Active White 1 fan(s)	Cables included Power cables quantity Number of screws Drive tray key included	AC, LAN (RJ-45) 1 28
Fan diameter  Drive bay locking	12 cm ✓	Operational conditions	
LED indicators Cable lock slot Cable lock slot type	HDD, LAN, Status  Kensington	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95%





885022023349

0885022023349

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.