GIGABYTE B650I AORUS ULTRA placa base AMD B650 Enchufe AM5 Mini ITX

Marca : GIGABYTE Código del producto: B650I AORUS

Nombre del producto : B650I AORUS ULTRA Placa Base - Compatible con procesadores AMD Ryzen 9000, VRM digital de 8+2+1, hasta 7200MHz DDR5 (OC), 1x PCle 5.0+2x PCle 4.0 M.2, Wi-Fi 6E, LAN 2.5GbE, USB 3.2 Gen 2x2



B650I AORUS ULTRA Placa Base - Compatible con procesadores AMD Ryzen 9000, VRM digital de 8+2+1, hasta 7200MHz DDR5 (OC), 1x PCle 5.0+2x PCle 4.0 M.2, Wi-Fi 6E, LAN 2.5GbE, USB 3.2 Gen 2x2

GIGABYTE B650I AORUS ULTRA placa base AMD B650 Enchufe AM5 Mini ITX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	USB connector type	USB Type-A, USB Type-C
Processor socket *		Socket AM5	Network	
Compatible processor series	*	AMD Ryzen™ 7	Ethernet LAN	✓
Maximum number of SMP processors		1	Ethernet interface type	2.5 Gigabit Ethernet
Maximum internal memory supported by processor		128 GB	Wi-Fi *	✓
,.			Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Aemory Supported memory types * DDR5- Number of memory slots * 2	DDR5-SI	DRAM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Memory slots type	DIMM		Bluetooth	✓
Memory channels ECC compatibility	Dual-cha Non-ECC		Bluetooth version	5.2
Supported memory clock speeds	4400,48 MHz	00,5200,5600,6000,6200,6400,6800,7000,7200	⁾ Features	
Supported memory clock speed (max)	7200 MF	dz	Motherboard chipset *	AMD B650
Maximum internal memory *	128 GB		Audio chip	Realtek ALC4080
Unbuffered memory	/		Audio output channels *	7.1 channels
Storage controllers			Product colour	Black
Supported storage drive type	es	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces * M.2, SATA III		M.2, SATA III	Component for *	PC
Number of HDDs supported		4	Motherboard form factor *	mini ITX
Number of storage drives supported 7		Motherboard chipset family *	AMD	
RAID support		✓	Windows operating systems	Windows 10 x64, Windows 11 x64
RAID levels		0, 1, 5, 10	supported	Timatis 10 xo i, Timatis 11 xo i
Graphics			Expansion slots	
Parallel processing technology		Not supported	PCI Express x16 (Gen 4.x) slots	1
support *		Not supported	Number of M.2 (M) slots	3
Maximum resolution		7680 x 4320 pixels	1st M.2 largest key size	2280
HDCP		✓		

Graphics		Expansion slots	
	12.0	•	
DirectX version Discrete graphics support	12.0	1st M.2 highest PCI Express generation	5.0
Internal I/O		2nd M.2 largest key size	2280
	1	2nd M.2 highest PCI Express generation	4.0
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	1	3rd M.2 largest key size	2280
connectors *	1	3rd M.2 highest PCI Express	4.0
USB 3.2 Gen 2x2 connectors	1	generation	4.0
Number of SATA III connectors *	4	BIOS	
Front panel audio connector	✓	BIOS type *	UEFI AMI
Front panel connector	✓	BIOS memory size	256 Mbit
ATX Power connector (24-pin)	✓	ACPI version	5.0
Number of EATX power connectors	1	Clear CMOS jumper	✓
CPU fan connector	✓	Desktop Management Interface	2.7
12V power connector	✓	(DMI) version System Management BIOS	
RGB LED pin header	✓	(SMBIOS) version	2.7
Rear panel I/O ports		Logistics data	
USB 2.0 ports quantity *	2	Country of origin	China
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Battery	
ports quantity *		Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Lithium weight per battery	0.07 g
USB 3.2 Gen 2x2 Type-C ports	1	Number of battery cells	1 Lithium-Manganese Dioxide
quantity		Battery technology	(LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
HDMI ports quantity * HDMI version	1 2.1	Packaging data	
DisplayPorts quantity	1	Package width	235 mm
DisplayPort version	1.4	Package depth	227 mm
Headphone outputs	1	Package height	95 mm
Microphone in	- /	Package weight	1.62 kg
WiFi-AP antenna jack	2	Weight & dimensions	
•		Width	170 mm
		Depth	170 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	·
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)





889523034392

0889523034392



4719331850425

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.