

TP-Link TL-ER7206 enrutador Gigabit Ethernet Negro

Marca : TP-Link Código del producto: TL-ER7206

Nombre del producto: TL-ER7206

TP-Link TL-ER7206. Estándares de red: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, Tipo de interfaz ethernet: Gigabit Ethernet, Tecnología de cableado: 10/100/1000Base-T(X). Protocolos de red compatibles: TCP/IP, DHCP, ICMP, NAT, PPPOE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP. Algoritmos de seguridad: 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, IPSEC, MD5, SHA-1, SNMP, SNMPv2, SNMPv3, Seguridad con cortafuegos: SPI, Soporte VPN: IPSec VPN, PPTP VPN, L2TP VPN, OpenVPN. Cables incluidos: Corriente alterna. Memoria Flash: 132 MB, Memoria interna: 512 MB, Tipo de memoria interna: DRAM





| WAN connection | | Packaging content | |
|---------------------------------|---|--|---|
| Ethernet WAN * | ✓ | Quick installation guide | ✓ |
| DSL WAN * | × | Features | |
| SIM card slot * | × | Flash memory | 132 MB |
| 3G/4G USB modem compatibility * | × | Internal memory | 512 MB |
| SFP WAN * | ✓ | Internal memory type | DRAM |
| Network | JEEF 002 10 JEEF 002 2 JEEF | Windows operating systems supported | Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP |
| Networking standards * | IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u | | |
| Ethernet interface type * | Gigabit Ethernet | Mac operating systems supported | ✓ |
| Cabling technology | 10/100/1000Base-T(X) | Linux operating systems supported | ✓ |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Certification | CE, FCC, RoHS |
| Static route | • | Design | |
| VLAN support | • | Product colour * | Black |
| Policy-based routing | • | LED indicators | Activity, Link, Power, System, WAN |
| Management features | | Power | |
| Web-based management * | ✓ | Power source type | AC |
| Universal Plug and Play (UPnP) | ✓ | AC input voltage | 100 - 240 V |
| Reset button | ✓ | AC input frequency | 50 - 60 Hz |
| Ports & interfaces | | Operational conditions | |
| Ethernet LAN (RJ-45) ports * | 4 | Operating temperature (T-T) | 0 - 40 °C |
| Protocols | | Storage temperature (T-T) Operating relative humidity (H-H) | -40 - 70 °C 10 - 90% |
| DMZ support | 1 | Storage relative humidity (H-H) | 5 - 90% |
| DHCP server * | ✓ | Weight & dimensions | |
| Supported network protocols | TCP/IP, DHCP, ICMP, NAT, PPPOE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP | Width | 226 mm |
| | | Depth | 131 mm |
| | | Dopar. | 101 11111 |

| Security | |
|---------------------------|---|
| Security algorithms * | 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, IPSEC, MD5, SHA-1, SNMP, SNMPv2, SNMPv3 |
| Firewall | ✓ |
| Firewall security | SPI |
| URL filtering | ✓ |
| ARP attack prevention | ✓ |
| Access Control List (ACL) | ✓ |
| System event log | ✓ |
| VPN support | IPSec VPN, PPTP VPN, L2TP VPN, OpenVPN |
| Packaging content | |
| Cables included | AC |


| Weight & dimensions | |
|-----------------------------|----------|
| Height | 35 mm |
| Packaging data | |
| Package width | 226 mm |
| Package depth | 288 mm |
| Package height | 72 mm |
| Package weight | 1.32 kg |
| Logistics data | |
| Harmonized System (HS) code | 85176990 |





840030701474

0840030701474



6935364072391

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.