## Viewsonic IFP6550-5A pizarrón interactivo 165.1 cm (65") 3840 x 2160 Pixeles Pantalla táctil Negro HDMI

Marca : Viewsonic Código del producto: IFP6550-5A

Nombre del producto: IFP6550-5A

65" TFT LCD, Touch, DLED, UHD, 16:9, 1.07B, 350 cd/m², 1200:1, 8ms, 178/178, 12W x2 + 16W, Wi-Fi, RJ45, HDMI, SPDIF, RS232, USB, 40.5 kg

Viewsonic IFP6550-5A. Diagonal de la pantalla: 165.1 cm (65"), Área de trabajo: 1428.48 x 803.52 mm, Brillo de pantalla: 350 cd / m². Sistema operativo instalado: Android, Arquitectura del procesador: ARM Cortex A73 + ARM Cortex A53, Frecuencia del procesador: 1.5 GHz. Potencia de altavoz: 24 W, Potencia RMS de subwoofer: 16 W. Ethernet LAN, velocidad de transferencia de datos: 10,100 Mbit/s. Interfaz: HDMI, Tipo de conector USB: USB tipo A, USB Tipo B, USB Tipo C, Envío de energía de USB hasta: 65 W





Display		Ports & interfaces	
Display diagonal * Display brightness Display number of colours Display resolution Anti-glare screen HD type Panel type LED backlighting type Native aspect ratio Contrast ratio (typical) Contrast ratio (dynamic) Response time Touchscreen * Touch technology	165.1 cm (65") 350 cd/m² 1.07 billion colours 3840 x 2160 pixels  ✓  4K Ultra HD IPS Direct-LED 16:9 1200:1 5000:1 8 ms	USB 2.0 Type-B Touch ports quantity HDMI ports quantity USB Type-C ports quantity HDMI version HDMI output ports quantity USB Power Delivery (USB PD) USB Power Delivery up to Ethernet LAN (RJ-45) ports VGA (D-Sub) ports quantity OPS slot S/PDIF out port Headphone connectivity RS-232 ports	2 3 1 2.0 1 4 65 W 2 1 1 4 3.5 mm 1
Touchscreen type	Multi-touch Infrared	Ergonomics	
Number of simultaneous touchpoints Touch resolution Touch system response time Viewing angle, horizontal Viewing angle, vertical Working area * Hardness	40 32767 x 32767 pixels 10 ms 178° 178° 1428.48 x 803.52 mm 7H	Product colour VESA mounting Panel mounting interface Mean time between failures (MTBF)	Black  600 x 400 mm  50000 h  cTUVus, FCC/ICES003, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT, Mexico NOM, Mexico Energy, UKCA, UK-EEL,
Computer system		Certification	BSMI, BIS, LBL( Low Blue Light Certification), Flicker Free, Green BOM, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, PAIA
Operating system installed Operating system version	Android 11		
Built-in processor	<b>/</b>	Power	
Processor architecture Processor frequency Processor cores Maximum internal memory	ARM Cortex A73 + ARM Cortex A53 1.5 GHz 8 32 GB	Power consumption (typical) Power consumption (off) AC input voltage	95 W 0.5 W 100 - 240 V
RAM capacity RAM type	4 GB DDR4	Operational conditions Operating temperature (T-T)	0 - 40 °C

Audio		Operational conditions	
Built-in speaker(s) *	✓	Operating relative humidity (H-H)	10 - 90%
Number of built-in speakers	2	Weight & dimensions	
Speaker power	24 W	Width *	1488 mm
Built-in subwoofer	✓	Depth	90 mm
Subwoofer RMS power	16 W	Height *	897 mm
Projector		Weight	40.5 kg
Built-in projector *	x	Packaging data	
Network		Package width	1669 mm
Wi-Fi	<b>✓</b>	Package depth	223 mm
Ethernet LAN	<b>✓</b>	Package height	1010 mm
Ethernet LAN data rates	10,100 Mbit/s	Package weight	49.7 kg
Ports & interfaces	.,	Quantity per pack	1 pc(s)
	LIDMI	Packaging content	
Interface	HDMI	USB cable length	3 m
HDCP	<b>✓</b>	Cables included	AC, HDMI, USB
HDCP version	2.2	Remote control included	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	4	Batteries included	✓
USB 2.0 ports quantity	2	Quick start guide	✓
USB connector type	USB Type-A, USB Type-B, USB Type-C	Stylus included	✓
		Other features	
		Country of origin	China

