StarTech.com 129N-USBC-KVM-DOCK base para laptop o replicador de puertos Alámbrico USB 3.2 Gen 2 (3.1 Gen 2) Type-C Plata

Marca : StarTech.com

Código del producto: 129N-USBC-KVM-DOCK

Nombre del producto : 129N-USBC-KVM-DOCK

129N-USBC-KVM-DOCK

StarTech.com 129N-USBC-KVM-DOCK. Tecnología de conectividad: Alámbrico, Interfaz de host: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, Envío de energía de USB hasta: 90 W. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s, Estándares de red: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Color del producto: Plata, Velocidad de transferencia de datos: 10 Gbit/s, Resolución (máxima digital): 4096 x 2160 Pixeles. Tipo de alimentación: CC, Voltaje de entrada AC: 100 - 240 V, Corriente de entrada: 2.4 A. Sistemas operativos Windows soportados: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Sistemas operativos Mac soportados: Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Sistemas operativos Linux soportados: Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04






Ports & interfaces		Power	
Connectivity technology * Host interface *	Wired	Output current	9 A 180 W
USB 2.0 ports quantity *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C 2	Power consumption (typical) Compatible power plug types	AU, JP, US
USB 3.2 Gen 1 (3.1 Gen 1) Type-A			A0, ji , 05
ports quantity *	9	Software	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
USB Power Delivery (USB PD)	 Image: A set of the set of the		
USB Power Delivery revision	3.0		
USB Power Delivery up to	90 W		
DisplayPorts quantity	2	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
DisplayPort version	1.4		
Microphone in *	1	Linux operating systems supported	Ubuntu 18.04 LTS, Ubuntu 20.04
Headphone outputs *	1 3.5 mm		LTS, Ubuntu 22.04
Headphone connectivity	5.5 mm	Other operating systems supported	ChromeOS
Network		Operational conditions	
Ethernet LAN *	 Image: A set of the set of the	Operating temperature (T-T)	-10 - 45 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-20 - 60 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating relative humidity (H-H)	0 - 90%
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Sustainability	
Full duplex	 Image: A set of the set of the	Sustainability compliance	✓
Performance		Weight & dimensions	
Card reader integrated *	×	Width	90 mm
Data transfer rate	10 Gbit/s	Depth	224 mm
Maximum digital resolution	4096 x 2160 pixels	Height	40 mm
-		Weight	402 g

Performance		Packaging data	
Number of displays supported	2	Package width	160 mm
Maximum refresh rate	60 Hz	Package depth	285 mm
Cable lock slot	1	Package height	90 mm
Cable lock slot type Ke	Kensington	Packaging content	
Product colour *	Silver	Cables included	USB Type-C
On/off switch	 Image: A set of the set of the	AC adapter included	 Image: A second s
LED indicators	LAN, Power	Quick start guide	1
UASP support	1	, J	
Housing material	Plastic	Technical details	
Power		Compliance certificates	RoHS
Power source type	DC	Logistics data	
AC input voltage	100 - 240 V	Products per master (outer) case	8 pc(s)
Input current	2.4 A	Master (outer) case width	395 mm
Output voltage	20 V	Master (outer) case length	380 mm
		Master (outer) case height	340 mm

Other features

Chipset

DisplayLink - DL6950, Genesys Logic - GL3590, Genesys Logic -GL9510, Parade - PS186, Realtek -RTL8211F





065030897242

0065030897242

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.